ANNEX 1 Key Source Analysis

The United States provides an analysis of key sources of emissions found in this report in order to ensure accuracy and reliability of inventory estimates. The IPCC's *Good Practice Guidance* (IPCC 2000) defines a key source category as a "[source category] that is prioritized within the national inventory system because its estimate has a significant influence on a country's total inventory of direct greenhouse gases in terms of the absolute level of emissions, the trend in emissions, or both." By definition, key source categories are sources that have the greatest contribution to the absolute overall level of national emissions in any of the years covered by the time series. In addition, when an entire time series of emission estimates is prepared, a thorough investigation of key source categories must also account for the influence of trends of individual source categories. Therefore, a trend assessment is conducted to identify source categories for which significant uncertainty in the estimate would have considerable effects on overall emission trends. This analysis culls out source categories that diverge from the overall trend in national emissions. Finally, a qualitative evaluation of key source categories should be performed, in order to capture any key source categories that were not identified in either of the quantitative analyses.

The methodology for conducting a key source analysis, as defined by IPCC's *Good Practice Guidance* (IPCC 2000), includes:

- Tier 1 approach (including both level and trend assessments);
- Tier 2 approach (including both level and trend assessments, and incorporating uncertainty analysis); and
- Qualitative approach.

This Annex presents an analysis of key source categories; discusses Tier 1, Tier 2, and qualitative approaches to identifying key sources; provides level and trend assessment equations; and provides a brief statistical evaluation of IPCC's quantitative methodologies for defining key sources.

Table 1-1 presents the key source categories for the United States using emissions data in this report, and ranked according to their sector and global warming potential-weighted emissions in 2003. The table also identifies the criteria used in identifying these source categories (i.e., level, trend, and/or qualitative assessments).

Table 1-1: Key Source Categories for the United States (1990-2003) Based on Tier 1 Approach

IPCC Source Categories	Gas	Level	Trend	Quala	2003 Emissions (Tg CO ₂ Eq.)
Energy					
CO ₂ Emissions from Stationary Combustion - Coal	CO_2	✓	✓		2,013.8
Mobile Combustion: Road & Other	CO_2	✓	✓		1,538.5
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	✓	✓		1,134.9
CO ₂ Emissions from Stationary Combustion - Oil	CO_2	✓	✓		635.3
Mobile Combustion: Aviation	CO_2	✓	✓		171.3
Fugitive Emissions from Natural Gas Operations	CH ₄	✓	✓		125.9
CO ₂ Emissions from Non-Energy Use of Fuels	CO_2	✓			118.0
International Bunker Fuels ^b	Several			✓	85.1
Mobile Combustion: Marine	CO ₂	✓			57.5
Fugitive Emissions from Coal Mining and Handling	CH ₄	✓	✓		53.8
Mobile Combustion: Road & Other	N_2O	✓	✓		39.9
Fugitive Emissions from Oil Operations Industrial Processes	CH ₄		✓		17.1
Emissions from Substitutes for Ozone Depleting Substances	Several	✓	✓		99.5

¹ See chapter 7 "Methodological Choice and Recalculation" in IPCC (2000).

-

< http://www.ipcc-nggip.iges.or.jp/public/gp/gpgaum.htm>

CO ₂ Emissions from Iron and Steel Production	CO ₂	✓	✓	53.8
CO ₂ Emissions from Cement Production	CO_2	✓	✓	43.0
CO ₂ Emissions from Ammonia Production and Urea Application	CO_2		✓	15.6
SF ₆ Emissions from Electrical Equipment	SF ₆		✓	14.1
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	✓	✓	12.3
N ₂ O Emissions from Adipic Acid Production	N ₂ O		✓	6.0
PFC Emissions from Aluminum Production Agriculture	PFCs		✓	3.8
Direct N₂O Emissions from Agricultural Soils	N ₂ O	✓		155.3
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock	CH ₄	✓	✓	115.0
Indirect N₂O Emissions from Nitrogen Used in Agriculture	N ₂ O	✓	✓	98.2
CH ₄ Emissions from Manure Management Waste	CH ₄	✓		39.1
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	✓	✓	131.2
CH ₄ Emissions from Wastewater Handling	CH ₄	✓	✓	36.8
CO ₂ Emissions from Waste Incineration	CO ₂		✓	18.8
Subtotal				6,833.5
Total Emissions Percent of Total				6,900.2 99.0%
Total Emissions				6,900

^aQualitative criteria.

Note: The Tier 1 approach for identifying key source categories does not directly include assessment of uncertainty in emissions estimates.

Table 1-2 provides a complete listing of source categories by IPCC sector, along with comments on the criteria used in identifying key source categories. The comments refer specifically to the year(s) over the course of the entire inventory time series (i.e., 1990 to 2003) in which each source category reached the threshold for being a key source based on a Tier 1 level assessment. The following points should be noted regarding the key sources identified.

Due to the relative quantity of CO₂ emissions from fossil fuel combustion—particularly from mobile combustion in road vehicles and stationary combustion of coal, gas, and oil—these sources contributed most to each year's level assessment. Additionally, the following sources were identified as key sources based on the level assessments for each year (listed in descending order of their 2003 emissions):

- CO₂ emissions from mobile combustion in the aviation sector;
- Direct N₂O from agricultural soils;
- CH₄ from solid waste disposal sites;
- Fugitive emissions from natural gas operations;
- CO₂ from non-energy use of fuel;
- CH₄ from enteric fermentation in domestic livestock;
- Indirect N₂O emissions from nitrogen used in agriculture;
- Fugitive emissions from coal mining;
- CO₂ emissions from iron and steel production;
- CO₂ emissions from cement production; and
- N₂O emissions from mobile combustion in road vehicles.

bEmissions from this source not included in totals.

The remaining key sources identified under the level assessment varied by year. The following five source categories were determined to be key sources using the level assessment for only part of the complete time series (listed in descending order of their 2003 emissions):

- HFC and PFC emissions from substitutes for ozone depleting substances (1996-2003);
- CO₂ emissions from mobile combustion in the marine sector (1990-1997, 1999-2003);
- CH₄ emissions from manure management (1990-2000);
- CH₄ emissions from wastewater handling (1995 and 1997); and
- HFC-23 emissions from HCFC-22 manufacture (1990-1996, 1998).

Although other sources have fluctuated by greater percentages since 1990, by virtue of their size, CO₂ emissions from mobile combustion from road vehicles and stationary combustion of coal are the greatest contributors to the overall trend for 2003. The third largest contributor to the overall trend in 2003 is emissions from substitutes for ozone depleting substances (ODSs). These emissions have grown quickly with the phase out of ODSs under the Montreal Protocol.

Two additional source categories with trends of note are fugitive emissions from coal mining and PFC emissions from aluminum manufacturing, which decreased from 1990 through 2003 by approximately 34 and 79 percent, respectively. Reductions in emissions from coal mining are primarily due to EPA's voluntary coalbed methane capture program and the mining of less gassy coal than in previous years. PFC emissions have decreased primarily as a result of emission reduction activities by the aluminum industry.

The remaining source categories that were identified as key sources based solely on a trend assessment are listed below (listed in descending order of their 2003 emissions).

- CO₂ emissions from waste incineration;
- Fugitive emissions from oil operations;
- CO₂ emissions from ammonia production and urea application;
- SF₆ emissions from electrical equipment; and
- N₂O emissions from adipic acid production.

In addition to conducting Tier 1 level and trend assessments, a qualitative assessment of the source categories, as described in the IPCC's *Good Practice Guidance* (IPCC 2000), was conducted to capture any key sources that were not identified by either quantitative method. One additional key source was identified using this qualitative assessment. A brief discussion of the reasoning for the qualitative designation is provided below.

International bunker fuels are fuels consumed for aviation or marine international transport activities, and
emissions from these fuels are reported separately from totals in accordance with IPCC guidelines. If these
emissions were included in the totals, bunker fuels would qualify as a key source according to the Tier 1
approach. The amount of uncertainty associated with estimation of emissions from international bunker
fuels also supports the qualification of this source category as key.

Following the text of this Annex, Table 1-3 through Table 1-16 contain each individual year's level assessment and contain further detail on where each source falls within the analysis. Table 1-17 details the trend assessment for 1990 through 2003.

Table 1-2: U.S Greenhouse Gas Inventory Source Categories Based on Tier 1 Approach

IPCC Source Categories	Direct GHG	2003 Emissions (Tg CO ₂ Eq.)	Key Source Category Flag?	ID Criteria	Comments
Energy					
CO ₂ Emissions from Stationary Combustion - Coal	CO_2	2,013.8	✓	L, T	All years
Mobile Combustion: Road & Other	CO_2	1,538.5	✓	L, T	All years
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	1,134.9	✓	L, T	All years

CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	635.3	✓	L, T	All years
Mobile Combustion: Aviation	CO ₂	171.3	✓	L, T	All years
CO ₂ Emissions from Non-Energy Use of Fuels	CO_2	118.0	✓	L	All years Level in 1990 - 1997,
Mobile Combustion: Marine CO ₂ Emissions from Natural Gas Flaring CO ₂ Emissions from Stationary Combustion - Geothermal	CO ₂ CO ₂	57.5 6.0	✓	L	1999 - 2003
Energy	CO ₂	0.3	,		A II
Fugitive Emissions from Natural Gas Operations	CH ₄	125.9	√	L, T	All years
Fugitive Emissions from Coal Mining and Handling	CH ₄	53.8	✓	L, T	All years
Fugitive Emissions from Oil Operations Non-CO ₂ Emissions from Stationary Combustion Fugitive Emissions from Abandoned Coal Mines Mobile Combustion: Road & Other Mobile Combustion: Aviation Mobile Combustion: Marine	CH ₄ CH ₄ CH ₄ CH ₄ CH ₄	17.1 6.7 6.4 2.5 0.1 0.1	√	Т	
Mobile Combustion: Road & Other Non-CO ₂ Emissions from Stationary Combustion Mobile Combustion: Aviation Mobile Combustion: Marine	N ₂ O N ₂ O N ₂ O N ₂ O	39.9 13.8 1.7 0.5	√	L, T	All years
International Bunker Fuelsa Industrial Processes	Several	85.1	✓	Q	
	00-	E2 0	✓		Allyopro
CO ₂ Emissions from Iron and Steel Production	CO ₂	53.8		L, T	All years
CO ₂ Emissions from Cement Production	CO_2 CO_2	43.0 15.6	√ √	L, T T	All years
CO ₂ Emissions from Ammonia Production and Urea Application CO ₂ Emissions from Lime Production CO ₂ Emissions from Limestone and Dolomite Use CO ₂ Emissions from Aluminum Production CO ₂ Emissions from Soda Ash Manufacture and Consumption CO ₂ Emissions from Petrochemical Production	CO ₂ CO ₂ CO ₂ CO ₂ CO ₂	13.0 4.7 4.2 4.1 2.8		·	
CO ₂ Emissions from Titanium Dioxide Production CO ₂ Emissions from Phosphoric Acid Production CO ₂ Emissions from Ferroalloys CO ₂ Emissions from CO ₂ Consumption CH ₄ Emissions from Petrochemical Production CH ₄ Emissions from Iron and Steel Production CH ₄ Emissions from Silicon Carbide Production N ₂ O Emissions from Nitric Acid Production	CO ₂ CO ₂ CO ₂ CO ₂ CH ₄ CH ₄ CH ₄ N ₂ O	2.0 1.4 1.4 1.3 1.5 1.0 +			
N ₂ O Emissions from Adipic Acid Production N ₂ O Emissions from N ₂ O Product Usage	N_2O N_2O	6.0 4.8	✓	Т	
Emissions from Substitutes for Ozone Depleting Substances	HiGWP	99.5	✓	L, T	Level in 1996 - 2003
SF ₆ Emissions from Electrical Equipment	HiGWP	14.1	✓	T, 1	
HFC-23 Emissions from HCFC-22 Manufacture PFC, HFC, and SF $_6$ Emissions from Semiconductor	HiGWP	12.3	✓	L, T	Level in 1990 - 1996, 1998
Manufacture	HiGWP	4.3			
PFC Emissions from Aluminum Production SF ₆ Emissions from Magnesium Production	HiGWP HiGWP	3.8 3.0	✓	Т	
Agriculture			_		
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock		115.0	✓	L, T	All years
CH ₄ Emissions from Manure Management CH ₄ Emissions from Rice Production CH ₄ Emissions from Agricultural Residue Burning	CH4 CH4 CH4	39.1 6.9 0.8	√	L	Level in 1990 - 2000
Direct N ₂ O Emissions from Agricultural Soils	N_2O	155.3	✓	L	All years
Indirect N ₂ O Emissions from Nitrogen Used in Agriculture	N ₂ O	98.2	✓	L, T	All years

N ₂ O Emissions from Manure Management	N ₂ O	17.5			
N ₂ O Emissions from Agricultural Residue Burning	N_2O	0.4			
Waste					
CO ₂ Emissions from Waste Incineration	CO_2	18.8	✓	Т	
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	131.2	✓	L, T	All years
CH ₄ Emissions from Wastewater Handling	CH ₄	36.8	✓	L, T	Level in 1995, 1997
N ₂ O Emissions from Wastewater Handling	N_2O	15.9			
N₂O Emissions from Waste Incineration	N_2O	0.5			
Land-use Change and Forestry					
N ₂ O Emissions from Settlements Remaining Settlements	N_2O	6.0			
N ₂ O Emissions from Forest Land Remaining Forest Land	N_2O	0.4			

^a Emissions from these sources not included in totals.

Note: The Tier 1 approach for identifying key source categories does not directly include assessment of uncertainty in emissions estimates.

Tier 1 Approach

The Tier 1 method for identifying key source categories assesses the impacts of all IPCC-defined source categories on the level and trend of the national emission inventory for the 1990 through 2003 time-series, but works independently of any formal uncertainty analysis. Although conducting a Tier 1 key source analysis is very valuable in improving the U.S. inventory, it would be ideal to incorporate the results of an uncertainty analysis into the key source analysis in order to be able to take into account the level of uncertainty associated with each estimate. Although quantitative uncertainty analyses have been conducted for almost every U.S. emission source, an assessment of the uncertainty of all source categories is required before uncertainties can be taken into account for the key source analysis. See the description of the Tier 2 approach for further explanation.

When using a Tier 1 approach for the *level*, a predetermined cumulative emissions threshold is used to identify key source categories. When source categories are sorted in order of decreasing emissions, those that fall at the top of the list and cumulatively account for 95 percent of emissions are considered key source categories. The 95 percent threshold was established based on an evaluation of several inventories, and was designed to establish a general level where the key source category analysis covers approximately 75 to 92 percent of inventory uncertainty. The Tier 1 approach for the *trend* uses a 95 percent contribution threshold of the cumulative contribution to the trend assessment metric, which was also designed to establish a general level where the key source category analysis covers 90 percent of inventory uncertainty. The Tier 1 method is completed using a simple spreadsheet analysis based on equations for both level and trend assessments that are described in detail below. It is the current approach that the United States is taking to identify key source categories of greenhouse gas emissions until a rigorous uncertainty analysis is completed.

Tier 2 Approach

IPCC recommends that inventory agencies use the Tier 2 method for identifying key source categories if nationally derived source-level uncertainties are measured. The Tier 2 approach is a more detailed analysis that builds on the Tier 1 approach by multiplying the results of the Tier 1 analysis by the relative uncertainty of each source category. This method is likely to reduce the number of key source categories under consideration. Using the Tier 2 approach, key source categories represent 90 percent of the uncertainty in the national inventory, as opposed to those that sum to the pre-determined cumulative emissions or trend threshold. A simple spreadsheet version accounts for the uncertainty contribution by applying the source category percentage uncertainty estimates to the Tier 1 level and trend assessments.

The U.S. EPA is in the process of developing a robust plan to support data gathering for both a Tier 1 and/or a Monte Carlo level analysis. Where a Monte Carlo approach to uncertainty analysis has been undertaken, uncertainty estimates for each source category have been developed based on (a) source category-specific input variables, such as activity data and emission factors, (b) the statistical properties underlying the input variables (i.e., the characteristics of the probability distributions of the input variables, such as mean and standard deviation in the case of a normal distribution), and (c) the mathematical relationship between the input variables used to estimate the emissions for each source category (e.g., emissions = activity data * emission factor). As part of a multi-year effort, the United States has already developed quantitative uncertainty estimates for most source categories. However,

⁺ Does not exceed 0.05 Tq CO₂ Eq.

because quantitative estimates of uncertainty are not yet available for all source categories, it is premature to conduct a Tier 2 key source analysis at this point. Future inventories will incorporate this Tier 2 approach.

Qualitative Approach

In addition to conducting a quantitative assessment like the ones described above, a variety of qualitative criteria could be applied to identify additional key source categories. The following qualitative criteria for identifying key source categories have been outlined in the *Good Practice Guidance* (IPCC 2000). A source category should be identified as a key source if:

- Mitigation techniques and technologies are being implemented to reduce emissions from the source category that are expected to be reflected in the inventory estimates;
- Significant changes in emissions (i.e., growth or decline) from the source category is expected in the future;
- High uncertainty is evident for the source category; or
- Unexpectedly low or high emissions, or other order of magnitude discrepancies, are apparent for the source category.

In many cases, the results of this qualitative approach to identifying key source categories will overlap with source categories already defined as key source categories through the quantitative analysis. However, the qualitative method may illuminate a few additional key source categories, which should then be included in the final list of key source categories. However, the application of such qualitative criteria are primarily intended to identify any additional source categories that were "just under" the threshold criteria for the level assessment and not for extremely minor source categories. International bunker fuels is the only source category that is considered key from a qualitative standpoint. International bunker fuel emissions are not included in national totals, and are not considered in the level or trend analyses mentioned above, but are considered key from a qualitative standpoint due to their unique position within the emissions accounting framework.

Level and Trend Assessments of Key Source Categories

Level Assessment

A level assessment was performed for years 1990 to 2003. Key sources were identified as the source categories that cumulatively add up to 95 percent of the total emissions for a given year when the source categories are summed, in descending order of magnitude for that year. All source categories that met this threshold for at least one year were considered key sources. Level estimates are based upon the following equation:

Source Category Level Assessment = Source Category / Total Estimate
$$L_{x,t} = E_{x,t} / E_t$$

Where:

 $L_{x,t}$ = level assessment for source x in year t $E_{x,t}$ = emissions estimate for source x in year t E_t = total emissions estimate for year t

Trend Assessment

A trend assessment was then conducted to evaluate how significantly the difference between the source category's trend and the overall inventory trend affect the overall trend. This assessment was done by multiplying the difference between the source category trend and the total inventory trend by the source category level assessment. Trend assessments were based upon the following equation:

Source Category Trend Assessment = (Source Category Level Assessment) \times | (Source Category Trend – Total Trend) | $T_{x,t} = L_{x,t} \times \left| \left[\left(\left(E_{x,t} - E_{x,o} \right) / E_{x,t} \right) - \left(\left(E_{t} - E_{o} \right) / E_{t} \right) \right] \right|$

Where:

 $T_{x,t}$ = trend assessment for source x in year t

 $L_{x,t}$ = level assessment for source x in year t

 $E_{x,t}$ and $E_{x,0}$ = emissions estimates for source x in year t and year 0, respectively

 E_t and E_0 = total emissions estimate for year t and year 0, respectively

0 = base year (e.g., 1990)

The following section of this annex evaluates these key source category analyses. The remainder of the annex summarizes the key source categories identified by these analyses, and quantifies their contribution to total level and trend assessments.

Evaluation of Key Source Identification Methodologies

Level Assessment

The Tier 1 approach for level assessment defines the source category contribution as the percentage of total inventory emissions from that source category. Only emission source categories are considered.² To determine key source categories, the level assessments are sorted in decreasing order, so that the source categories with the highest level assessments appear first. The level assessments are summed until the threshold of 95 percent is reached; all source categories that fall within that cumulative 95 percent for at least one year are considered key source categories.

Since the Tier 1 approach does not explicitly incorporate uncertainties, the level assessment key source categories will be the largest contributors to total emissions but will not necessarily have large contributions to the total uncertainty. Focusing resources on improving the methodologies for estimating emissions from the source categories with the largest emissions is undesirable if those emissions are estimated relatively precisely using the current methodologies. Nevertheless, the analysis (reported in IPCC 2000) of several inventories that have source category uncertainties showed that about 75 to 92 percent of the total uncertainty could be covered by the source categories in the top 95 percent of emissions.

It is important to note that this key source category analysis can be very sensitive to the definitions of the source categories. If a large source category is split into many subcategories, then the subcategories may have contributions to the total inventory that are too small for those source categories to be considered key. Similarly, a collection of small, non-key source categories adding up to less than 5 percent of total emissions could become key source categories if those source categories were aggregated into a single source category. A consistent approach to addressing this issue is available in the *Good Practice Guidance*. Table 7.1 in IPCC (2000) provides guidance and a suggested list of source categories for analysis, although countries are given some discretion based upon their national circumstances.

Some important components of other source categories were not included in the list of IPCC source categories in the key source category chapter of IPCC's *Good Practice Guidance* (IPCC 2000). These source categories include fossil fuel feedstocks, international bunkers, and emissions from U.S. territories. They are potentially large source categories that often are derived from unique data sources using country-specific methodologies, and may have a significant impact on the uncertainty of the estimates.

Trend Assessment

The Tier 1 approach for trend assessment is defined as the product of the source category level assessment (i.e., source category emissions as a fraction, or percentage, of total emissions) and the absolute difference between the source category trend and the total trend. In turn, the source category trend is defined as the change in source category emissions from the base year to the current year, as a percentage of current year emissions from that source category. The total trend is the percentage change in total inventory emissions from the base year to the current year. Thus, the *source category trend assessment* will be large if the source category represents a large percentage of emissions and/or has a trend that is quite different from the overall inventory trend. Only emissions source

² The level assessment is intended to be applied to sources and to exclude sinks. Although the assessment would still be valid if sinks were included (as unsigned values), the 95 percent threshold by which sources are deemed "key" would lose significance because it is based on an analysis (Flusgrud et al. 1999) of selected inventories where sinks were excluded.

categories are considered.³ To determine key source categories, the trend assessments are sorted in decreasing order, so that the source categories with the highest trend assessments appear first. The trend assessments are summed until the threshold of 95 percent is reached; all source categories that fall within that cumulative 95 percent are considered key source categories.

It is important to note that the trend assessment calculation assumes that the base and current year source category emission uncertainties are the same. Therefore, the trend assessment is a useful measure in cases where the percentage uncertainties of the base and current year source category emission levels are thought to be the same. However, its usefulness diminishes when individual source category uncertainties are different between the base year and the current year. Such time series inconsistencies could result from changes in data quality or availability over time. As more rigorous methods to determine uncertainties in emission estimates are applied, it may be necessary to revisit the results of the trend assessments.

Another important caveat to the identification of key source categories through the trend assessment is that, while each individual source category's trend assessment provides a measure of how sensitive the overall trend in the inventory is to the trend of a particular source category, the sum of a number of trend assessments does not yield the total sensitivity of the overall trend to changes in all of those source categories. In other words, the cumulative percentages should not be considered a measure of the percentage contributions to the trend from those source categories.

The trend assessment key source categories are also sensitive to the level of aggregation of the source categories; and the IPCC list of source categories may exclude some important, potentially key source category components.

³ The trend assessment is intended to be applied to sources and to exclude sinks. Although the assessment would still be valid if sinks were included (as unsigned values), the 95 percent threshold by which sources are deemed "key" would lose significance because it is based on an analysis (Flusgrud et al. 1999) of selected inventories where sinks were excluded.

Table 1-3: 1990 Key Source Tier 1 Analysis - Level Assessment

Table 1-3: 1990 Key Source Her Lanalysis - Level Asse					
	Direct	1000 Fatimata	1000 Fatimata	امييما	Commodations
IDCC Course Categories	Greenhouse	1990 Estimate		Level	Cumulative
IPCC Source Categories	Gas	(Tg CO ₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	<u>Total</u> 0.28
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂ CO ₂	1,680.89 1,220.43	1,680.89 1,220.43	0.28 0.20	
Mobile Combustion: Road & Other					0.48
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	973.63	0.16	0.64
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	609.99	609.99	0.10	0.74
Mobile Combustion: Aviation	CO ₂	177.24	177.24	0.03	0.77
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	172.23	172.23	0.03	0.79
Direct N₂O Emissions from Agricultural Soils	N ₂ O	140.36	140.36	0.02	0.82
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	128.35	0.02	0.84
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock	CH ₄	117.86	117.86	0.02	0.86
Indirect N ₂ O Emissions from Nitrogen Used in Agriculture	N ₂ O	112.63	112.63	0.02	0.88
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	107.96	107.96	0.02	0.89
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	85.41	0.01	0.91
Fugitive Emissions from Coal Mining and Handling	CH₄	81.89	81.89	0.01	0.92
Mobile Combustion: Marine	CO ₂	49.17	49.17	0.01	0.93
Mobile Combustion: Road & Other	N ₂ O	41.62	41.62	0.01	0.94
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	34.98	0.01	0.94
CO ₂ Emissions from Cement Production	CO ₂	33.28	33.28	0.01	0.95
CH ₄ Emissions from Manure Management	CH ₄	31.19	31.19	0.01	0.95
SF ₆ Emissions from Electrical Equipment	SF ₆	29.22	29.22	<0.01	0.96
CH ₄ Emissions from Wastewater Handling	CH ₄	24.85	24.85	<0.01	0.96
Fugitive Emissions from Oil Operations	CH ₄	19.97	19.97	<0.01	0.96
CO ₂ Emissions from Ammonia Production and Urea Application	CO_2	19.31	19.31	<0.01	0.97
PFC Emissions from Aluminum Production	PFCs	18.34	18.34	<0.01	0.97
N ₂ O Emissions from Nitric Acid Production	N_2O	17.85	17.85	<0.01	0.97
N ₂ O Emissions from Manure Management	N_2O	16.26	16.26	<0.01	0.98
N ₂ O Emissions from Adipic Acid Production	N_2O	15.20	15.20	<0.01	0.98
N ₂ O Emissions from Wastewater Handling	N_2O	13.02	13.02	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.26	12.26	<0.01	0.98
CO ₂ Emissions from Lime Production	CO_2	11.24	11.24	<0.01	0.98
CO ₂ Emissions from Waste Incineration	CO_2	10.92	10.92	<0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.84	7.84	<0.01	0.99
CH ₄ Emissions from Rice Production	CH ₄	7.12	7.12	<0.01	0.99
CO ₂ Emissions from Aluminum Production	CO_2	6.31	6.31	<0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH ₄	6.06	6.06	<0.01	0.99
CO ₂ Emissions from Natural Gas Flaring	CO_2	5.81	5.81	<0.01	0.99
N ₂ O Emissions from Settlements Remaining Settlements	N_2O	5.54	5.54	<0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO_2	5.53	5.53	<0.01	0.99
SF ₆ Emissions from Magnesium Production	SF ₆	5.37	5.37	<0.01	0.99
Mobile Combustion: Road & Other	CH ₄	4.55	4.55	<0.01	1.00
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.30	4.30	< 0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO_2	4.14	4.14	<0.01	1.00
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	2.91	2.91	< 0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO ₃	2.22	2.22	< 0.01	1.00
CO ₂ Emissions from Ferroalloys	CO_2	1.98	1.98	< 0.01	1.00
Mobile Combustion: Aviation	N ₂ O	1.72	1.72	< 0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO ₂	1.53	1.53	<0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.32	1.32	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO ₂	1.31	1.31	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH ₄	1.17	1.17	<0.01	1.00
CO ₂ Emissions from CO2 Consumption	CO ₂	0.86	0.86	<0.01	1.00
CH ₄ Emissions from Agricultural Residue Burning	CH ₄	0.69	0.69	<0.01	1.00
N ₂ O Emissions from Waste Incineration	N ₂ O	0.42	0.42	<0.01	1.00
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	0.40	<0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO ₂	0.40	0.40	<0.01	1.00
Mobile Combustion: Marine	N ₂ O	0.39	0.39	<0.01	1.00
N ₂ O Emissions from Agricultural Residue Burning	N ₂ O	0.37	0.37	<0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.16	0.37	<0.01	1.00
Mobile Combustion: Marine	CH ₄	0.10	0.10	<0.01	1.00
MODILE COMBUSTION. MATHE	OI 14	0.00	0.00	\0.01	1.00

N ₂ O Emissions from Forest Land Remaining Forest Land	N_2O	0.06	0.06	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production	CH₄	0.03	0.03	< 0.01	1.00
TOTAL		6,088.11	6,088.11	1.00	

Table 1-4: 1991 Key Source Tier 1 Analysis - Level Assessment

Table 1-4. 1771 key Source Her Thilaly 313 - Level Asse	Direct				
	Greenhouse	1990 Estimate	1001 Ectimate	Lovol	Cumulative
IPCC Source Categories	Gas	(Tg CO ₂ Eq.)	(Tg CO ₂ Eq.)	Level Assessment	Total
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,680.89	1,677.65	0.28	0.28
Mobile Combustion: Road & Other	CO ₂	1,220.43	1,208.03	0.20	0.28
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	998.36	0.20	0.40
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	609.99	583.53	0.17	0.04
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	172.23	172.75	0.10	0.74
Mobile Combustion: Aviation	CO ₂	177.24	169.37	0.03	0.80
Direct N ₂ O Emissions from Agricultural Soils	N ₂ O	140.36	143.49	0.03	0.82
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	130.00	0.02	0.84
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock	CH ₄	117.86	117.11	0.02	0.86
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	107.96	108.29	0.02	0.88
Indirect N ₂ O Emissions from Nitrogen Used in Agriculture	N ₂ O	112.63	104.08	0.02	0.90
Fugitive Emissions from Coal Mining and Handling	CH ₄	81.89	79.04	0.02	0.91
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	76.24	0.01	0.92
Mobile Combustion: Road & Other	N ₂ O	41.62	44.05	0.01	0.93
Mobile Combustion: Marine	CO ₂	49.17	43.75	0.01	0.94
CH ₄ Emissions from Manure Management	CH ₄	31.19	33.13	0.01	0.94
CO ₂ Emissions from Cement Production	CO ₂	33.28	32.54	0.01	0.95
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	30.77	0.01	0.95
SF ₆ Emissions from Electrical Equipment	SF ₆	29.22	27.84	<0.01	0.96
CH ₄ Emissions from Wastewater Handling	CH ₄	24.85	25.78	<0.01	0.96
Fugitive Emissions from Oil Operations	CH ₄	19.97	20.24	<0.01	0.96
CO ₂ Emissions from Ammonia Production and Urea Application	CO ₂	19.31	19.17	<0.01	0.97
N ₂ O Emissions from Nitric Acid Production	N ₂ O	17.85	17.83	<0.01	0.97
N ₂ O Emissions from Manure Management	N ₂ O	16.26	16.76	<0.01	0.97
PFC Emissions from Aluminum Production	PFCs	18.34	15.51	<0.01	0.98
N₂O Emissions from Adipic Acid Production	N ₂ O	15.20	14.84	<0.01	0.98
N ₂ O Emissions from Wastewater Handling	N ₂ O	13.02	13.37	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N ₂ O	12.26	12.18	<0.01	0.98
CO ₂ Emissions from Waste Incineration	CO ₂	10.92	11.97	<0.01	0.98
CO ₂ Emissions from Lime Production	CO ₂	11.24	11.01	<0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.84	8.01	<0.01	0.99
CH ₄ Emissions from Rice Production	CH ₄	7.12	7.00	<0.01	0.99
CO ₂ Emissions from Aluminum Production	CO ₂	6.31	6.43	<0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH ₄	6.06	6.21	< 0.01	0.99
CO ₂ Emissions from Natural Gas Flaring	CO ₂	5.81	5.87	< 0.01	0.99
N ₂ O Emissions from Settlements Remaining Settlements	N ₂ O	5.54	5.63	<0.01	0.99
SF ₆ Emissions from Magnesium Production	SF ₆	5.37	5.11	< 0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO ₂	5.53	4.98	< 0.01	0.99
Mobile Combustion: Road & Other	CH ₄	4.55	4.50	< 0.01	1.00
N ₂ O Emissions from N ₂ O Product Usage	N_2O	4.30	4.18	< 0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO ₂	4.14	4.04	< 0.01	1.00
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	2.91	2.91	<0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO ₃	2.22	2.28	< 0.01	1.00
CO ₂ Emissions from Ferroalloys	CO_2	1.98	1.77	<0.01	1.00
Mobile Combustion: Aviation	N_2O	1.72	1.64	< 0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO_2	1.53	1.40	< 0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO_2	1.31	1.33	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH ₄	1.17	1.22	< 0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.32	1.17	<0.01	1.00
CO ₂ Emissions from CO ₂ Consumption	CO_2	0.86	0.86	< 0.01	1.00
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	0.75	< 0.01	1.00
CH ₄ Emissions from Agricultural Residue Burning	CH ₄	0.69	0.65	< 0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO_2	0.40	0.41	< 0.01	1.00

N ₂ O Emissions from Agricultural Residue Burning	N_2O	0.37	0.36	<0.01	1.00
Mobile Combustion: Marine	N_2O	0.39	0.35	<0.01	1.00
N ₂ O Emissions from Waste Incineration	N_2O	0.42	0.35	<0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.16	0.15	<0.01	1.00
Mobile Combustion: Marine	CH ₄	0.08	0.07	<0.01	1.00
N ₂ O Emissions from Forest Land Remaining Forest Land	N ₂ O	0.06	0.06	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production	CH₄	0.03	0.02	<0.01	1.00
TOTAL	•	6,088.11	6,,038.39	1.00	<u> </u>

Table 1-5: 1992 Key Source Tier 1 Analysis - Level Assessment

	Direct				
	Greenhouse	1990 Estimate	1992 Estimate	Level	Cumulative
IPCC Source Categories	Gas	(Tg CO ₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	Total
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,680.89	1,693.10	0.28	0.28
Mobile Combustion: Road & Other	CO ₂	1,220.43	1,227.95	0.20	0.48
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	1,035.80	0.17	0.65
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	609.99	595.03	0.10	0.74
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	172.23	172.64	0.03	0.77
Mobile Combustion: Aviation	CO ₂	177.24	167.15	0.03	0.80
Direct N ₂ O Emissions from Agricultural Soils	N ₂ O	140.36	138.73	0.02	0.82
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	129.70	0.02	0.84
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock	CH ₄	117.86	119.40	0.02	0.86
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	107.96	104.87	0.02	0.88
Indirect N₂O Emissions from Nitrogen Used in Agriculture	N_2O	112.63	94.50	0.02	0.90
Fugitive Emissions from Coal Mining and Handling	CH ₄	81.89	77.05	0.01	0.91
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	75.01	0.01	0.92
Mobile Combustion: Marine	CO ₂	49.17	57.20	0.01	0.93
Mobile Combustion: Road & Other	N ₂ O	41.62	46.86	0.01	0.94
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	34.87	0.01	0.94
CO ₂ Emissions from Cement Production	CO ₂	33.28	32.79	0.01	0.95
CH ₄ Emissions from Manure Management	CH ₄	31.19	32.04	0.01	0.95
CH ₄ Emissions from Wastewater Handling	CH ₄	24.85	26.92	<0.01	0.96
SF ₆ Emissions from Electrical Equipment	SF ₆	29.22	25.19	<0.01	0.96
CO ₂ Emissions from Ammonia Production and Urea Application	CO ₂	19.31	19.99	<0.01	0.96
Fugitive Emissions from Oil Operations	CH ₄	19.97	19.58	<0.01	0.97
N ₂ O Emissions from Nitric Acid Production	N ₂ O	17.85	18.30	<0.01	0.97
N ₂ O Emissions from Manure Management	N ₂ O	16.26	16.54	<0.01	0.97
PFC Emissions from Aluminum Production	PFCs	18.34	14.28	<0.01	0.98
N ₂ O Emissions from Wastewater Handling	N ₂ O	13.02	13.57	<0.01	0.98
N₂O Emissions from Adipic Acid Production	N ₂ O	15.20	13.05	<0.01	0.98
CO ₂ Emissions from Waste Incineration	CO ₂	10.92	12.68	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.26	12.42	< 0.01	0.98
CO ₂ Emissions from Lime Production	CO ₂	11.24	11.39	<0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.84	8.33	<0.01	0.99
CH ₄ Emissions from Rice Production	CH ₄	7.12	7.87	<0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH ₄	6.06	6.63	<0.01	0.99
CO ₂ Emissions from Aluminum Production	CO ₂	6.31	6.31	<0.01	0.99
N ₂ O Emissions from Settlements Remaining Settlements	N ₂ O	5.54	5.67	<0.01	0.99
SF ₆ Emissions from Magnesium Production	SF ₆	5.37	5.40	<0.01	0.99
CO ₂ Emissions from Natural Gas Flaring	CO ₂	5.81	5.31	<0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO ₂	5.53	4.92	<0.01	0.99
Mobile Combustion: Road & Other	CH ₄	4.55	4.45	<0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO ₂	4.14	4.07	<0.01	1.00
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.30	3.94	<0.01	1.00
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	2.91	2.91	<0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO ₃	2.22	2.42	<0.01	1.00
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	2.11	<0.01	1.00
CO ₂ Emissions from Ferroalloys	CO ₂	1.98	1.79	<0.01	1.00
Mobile Combustion: Aviation	N ₂ O	1.72	1.62	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO ₂	1.31	1.52	<0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO ₂	1.53	1.51	<0.01	1.00
		50		J.J.	

CH ₄ Emissions from Petrochemical Production	CH ₄	1.17	1.27	< 0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.32	1.23	< 0.01	1.00
CO ₂ Emissions from CO ₂ Consumption	CO_2	0.86	0.79	< 0.01	1.00
CH ₄ Emissions from Agricultural Residue Burning	CH ₄	0.69	0.76	< 0.01	1.00
Mobile Combustion: Marine	N ₂ O	0.39	0.46	< 0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO_2	0.40	0.43	< 0.01	1.00
N ₂ O Emissions from Agricultural Residue Burning	N_2O	0.37	0.41	<0.01	1.00
N ₂ O Emissions from Waste Incineration	N ₂ O	0.42	0.40	< 0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.16	0.15	<0.01	1.00
N ₂ O Emissions from Forest Land Remaining Forest Land	N ₂ O	0.06	0.09	< 0.01	1.00
Mobile Combustion: Marine	CH ₄	80.0	0.09	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production	CH ₄	0.03	0.02	<0.01	1.00
TOTAL		6,088.11	6,121.48	1.00	

Table 1-6: 1993 Key Source Tier 1 Analysis - Level Assessment

-	Direct				<u> </u>
	Greenhouse	1990 Estimate	1993 Estimate	Level	Cumulative
IPCC Source Categories	Gas	(Tg CO₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	Total
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,680.89	1,761.31	0.28	0.28
Mobile Combustion: Road & Other	CO ₂	1,220.43	1,260.08	0.20	0.48
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	1,060.84	0.17	0.65
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	609.99	587.08	0.09	0.75
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	172.23	172.10	0.03	0.77
Mobile Combustion: Aviation	CO ₂	177.24	168.11	0.03	0.80
Direct N ₂ O Emissions from Agricultural Soils	N ₂ O	140.36	145.66	0.02	0.82
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	133.22	0.02	0.85
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock	CH ₄	117.86	118.83	0.02	0.87
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	107.96	105.80	0.02	0.88
Indirect N ₂ O Emissions from Nitrogen Used in Agriculture	N ₂ O	112.63	101.92	0.02	0.90
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	69.86	0.01	0.91
Fugitive Emissions from Coal Mining and Handling	CH ₄	81.89	65.16	0.01	0.92
Mobile Combustion: Marine	CO ₂	49.17	54.18	0.01	0.93
Mobile Combustion: Road & Other	N ₂ O	41.62	49.07	0.01	0.94
CO ₂ Emissions from Cement Production	CO ₂	33.28	34.62	0.01	0.94
CH ₄ Emissions from Manure Management	CH ₄	31.19	32.80	0.01	0.95
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	31.82	0.01	0.95
SF ₆ Emissions from Electrical Equipment	SF ₆	29.22	29.50	<0.01	0.96
CH ₄ Emissions from Wastewater Handling	CH ₄	24.85	27.66	< 0.01	0.96
CO ₂ Emissions from Ammonia Production and Urea Application	CO_2	19.31	20.41	< 0.01	0.96
Fugitive Emissions from Oil Operations	CH ₄	19.97	19.14	< 0.01	0.97
N ₂ O Emissions from Nitric Acid Production	N_2O	17.85	18.57	< 0.01	0.97
N ₂ O Emissions from Manure Management	N_2O	16.26	16.97	< 0.01	0.97
N ₂ O Emissions from Adipic Acid Production	N_2O	15.20	13.99	< 0.01	0.98
N ₂ O Emissions from Wastewater Handling	N_2O	13.02	13.78	< 0.01	0.98
PFC Emissions from Aluminum Production	PFCs	18.34	13.69	< 0.01	0.98
CO ₂ Emissions from Waste Incineration	CO_2	10.92	13.53	< 0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.26	12.63	< 0.01	0.98
CO ₂ Emissions from Lime Production	CO_2	11.24	11.64	< 0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.84	7.82	< 0.01	0.99
CH ₄ Emissions from Rice Production	CH ₄	7.12	7.02	< 0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH ₄	6.06	7.00	< 0.01	0.99
CO ₂ Emissions from Natural Gas Flaring	CO_2	5.81	6.79	< 0.01	0.99
N ₂ O Emissions from Settlements Remaining Settlements	N_2O	5.54	5.88	< 0.01	0.99
CO ₂ Emissions from Aluminum Production	CO_2	6.31	5.76	< 0.01	0.99
SF ₆ Emissions from Magnesium Production	SF ₆	5.37	5.51	< 0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO_2	5.53	4.94	< 0.01	0.99
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	4.78	< 0.01	0.99
N ₂ O Emissions from N ₂ O Product Usage	N_2O	4.30	4.48	< 0.01	1.00
Mobile Combustion: Road & Other	CH ₄	4.55	4.42	< 0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO_2	4.14	4.02	< 0.01	1.00
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	2.91	3.64	<0.01	1.00

CO ₂ Emissions from Petrochemical Production	CO₃	2.22	2.57	<0.01	1.00
CO ₂ Emissions from Ferroalloys	CO_2	1.98	1.74	< 0.01	1.00
Mobile Combustion: Aviation	N_2O	1.72	1.63	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO_2	1.31	1.55	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH ₄	1.17	1.39	<0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO ₂	1.53	1.30	<0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.32	1.25	<0.01	1.00
CO ₂ Emissions from CO ₂ Consumption	CO_2	0.86	0.82	<0.01	1.00
CH ₄ Emissions from Agricultural Residue Burning	CH ₄	0.69	0.61	<0.01	1.00
Mobile Combustion: Marine	N_2O	0.39	0.44	<0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO_2	0.40	0.40	<0.01	1.00
N ₂ O Emissions from Waste Incineration	N_2O	0.42	0.38	<0.01	1.00
N ₂ O Emissions from Agricultural Residue Burning	N_2O	0.37	0.34	<0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.16	0.14	<0.01	1.00
N ₂ O Emissions from Forest Land Remaining Forest Land	N_2O	0.06	0.11	<0.01	1.00
Mobile Combustion: Marine	CH ₄	0.08	0.08	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production	CH ₄	0.03	0.02	<0.01	1.00
TOTAL		6,088.11	6,250.82	1.00	

Table 1-7: 1994 Key Source Tier 1 Analysis - Level Assessment

Direct

	Direct				
	Greenhouse	1990 Estimate	1994 Estimate	Level	Cumulative
IPCC Source Categories	Gas	(Tg CO ₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	Total
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,680.89	1,770.44	0.28	0.28
Mobile Combustion: Road & Other	CO ₂	1,220.43	1,294.94	0.20	0.48
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	1,079.18	0.17	0.65
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	609.99	588.73	0.09	0.75
Mobile Combustion: Aviation	CO ₂	177.24	176.13	0.03	0.77
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	172.23	169.09	0.03	0.80
Direct N ₂ O Emissions from Agricultural Soils	N ₂ O	140.36	151.06	0.02	0.82
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	133.94	0.02	0.85
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock	CH ₄	117.86	120.40	0.02	0.86
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	107.96	117.75	0.02	0.88
Indirect N ₂ O Emissions from Nitrogen Used in Agriculture	N ₂ O	112.63	87.29	0.01	0.90
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	73.61	0.01	0.91
Fugitive Emissions from Coal Mining and Handling	CH ₄	81.89	65.15	0.01	0.92
Mobile Combustion: Marine	CO ₂	49.17	53.39	0.01	0.93
Mobile Combustion: Road & Other	N ₂ O	41.62	50.48	0.01	0.94
CO ₂ Emissions from Cement Production	CO ₂	33.28	36.09	0.01	0.94
CH ₄ Emissions from Manure Management	CH ₄	31.19	35.31	0.01	0.95
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	31.59	<0.01	0.95
CH ₄ Emissions from Wastewater Handling	CH ₄	24.85	28.87	<0.01	0.96
SF ₆ Emissions from Electrical Equipment	SF ₆	29.22	26.82	< 0.01	0.96
CO ₂ Emissions from Ammonia Production and Urea Application	CO_2	19.31	21.10	< 0.01	0.96
N ₂ O Emissions from Nitric Acid Production	N_2O	17.85	19.60	< 0.01	0.97
Fugitive Emissions from Oil Operations	CH ₄	19.97	18.93	< 0.01	0.97
N ₂ O Emissions from Manure Management	N_2O	16.26	16.97	< 0.01	0.97
N ₂ O Emissions from Adipic Acid Production	N_2O	15.20	15.03	< 0.01	0.97
N ₂ O Emissions from Wastewater Handling	N_2O	13.02	14.29	< 0.01	0.98
CO ₂ Emissions from Waste Incineration	CO_2	10.92	14.19	< 0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.26	12.80	< 0.01	0.98
PFC Emissions from Aluminum Production	PFCs	18.34	12.06	< 0.01	0.98
CO ₂ Emissions from Lime Production	CO_2	11.24	12.05	< 0.01	0.98
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	9.80	< 0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH ₄	6.06	8.29	< 0.01	0.99
CH ₄ Emissions from Rice Production	CH ₄	7.12	8.21	< 0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.84	7.81	< 0.01	0.99
CO ₂ Emissions from Natural Gas Flaring	CO_2	5.81	6.86	< 0.01	0.99
N ₂ O Emissions from Settlements Remaining Settlements	N_2O	5.54	6.12	< 0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO ₂	5.53	5.51	< 0.01	0.99
SF ₆ Emissions from Magnesium Production	SF ₆	5.37	5.38	<0.01	0.99

CO ₂ Emissions from Aluminum Production	CO ₂	6.31	5.15	<0.01	0.99
N ₂ O Emissions from N ₂ O Product Usage	N_2O	4.30	4.48	<0.01	1.00
Mobile Combustion: Road & Other	CH ₄	4.55	4.29	<0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO_2	4.14	4.02	<0.01	1.00
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	2.91	4.00	<0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO ₃	2.22	2.69	<0.01	1.00
CO ₂ Emissions from Ferroalloys	CO_2	1.98	1.85	<0.01	1.00
Mobile Combustion: Aviation	N_2O	1.72	1.71	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO_2	1.31	1.67	<0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO_2	1.53	1.52	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH ₄	1.17	1.50	<0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH₄	1.32	1.27	<0.01	1.00
CO ₂ Emissions from CO ₂ Consumption	CO_2	0.86	0.83	<0.01	1.00
CH ₄ Emissions from Agricultural Residue Burning	CH₄	0.69	0.81	<0.01	1.00
N ₂ O Emissions from Agricultural Residue Burning	N_2O	0.37	0.46	<0.01	1.00
Mobile Combustion: Marine	N_2O	0.39	0.43	<0.01	1.00
N ₂ O Emissions from Waste Incineration	N_2O	0.42	0.40	<0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO_2	0.40	0.34	<0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.16	0.15	<0.01	1.00
N ₂ O Emissions from Forest Land Remaining Forest Land	N_2O	0.06	0.13	<0.01	1.00
Mobile Combustion: Marine	CH ₄	0.08	0.08	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production	CH ₄	0.03	0.02	<0.01	1.00
TOTAL		6,088.11	6,343.06	1.00	

Table 1-8: 1995 Key Source Tier 1 Analysis - Level Assessment

	Direct				
	Greenhouse	1990 Estimate	1995 Estimate	Level	Cumulative
IPCC Source Categories	Gas	(Tg CO ₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	Total
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,680.89	1,786.67	0.28	0.28
Mobile Combustion: Road & Other	CO ₂	1,220.43	1,324.43	0.21	0.49
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	1,128.30	0.18	0.66
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	609.99	542.39	0.08	0.75
Mobile Combustion: Aviation	CO ₂	177.24	171.82	0.03	0.77
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	172.23	162.40	0.03	0.80
Direct N ₂ O Emissions from Agricultural Soils	N ₂ O	140.36	146.55	0.02	0.82
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	133.33	0.02	0.84
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock	CH ₄	117.86	122.97	0.02	0.86
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	107.96	115.50	0.02	0.88
Indirect N ₂ O Emissions from Nitrogen Used in Agriculture	N ₂ O	112.63	98.17	0.02	0.89
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	74.36	0.01	0.91
Fugitive Emissions from Coal Mining and Handling	CH ₄	81.89	65.78	0.01	0.92
Mobile Combustion: Marine	CO ₂	49.17	55.19	0.01	0.93
Mobile Combustion: Road & Other	N ₂ O	41.62	51.63	0.01	0.93
CO ₂ Emissions from Cement Production	CO ₂	33.28	36.85	0.01	0.94
CH ₄ Emissions from Manure Management	CH ₄	31.19	36.07	0.01	0.94
CH ₄ Emissions from Wastewater Handling	CH ₄	24.85	29.89	<0.01	0.95
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	27.03	<0.01	0.95
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	24.45	<0.01	0.96
SF ₆ Emissions from Electrical Equipment	SF ₆	29.22	21.67	<0.01	0.96
CO ₂ Emissions from Ammonia Production and Urea Application	CO_2	19.31	20.45	<0.01	0.96
N ₂ O Emissions from Nitric Acid Production	N_2O	17.85	19.88	<0.01	0.97
Fugitive Emissions from Oil Operations	CH ₄	19.97	18.75	<0.01	0.97
N ₂ O Emissions from Adipic Acid Production	N_2O	15.20	17.21	<0.01	0.97
N ₂ O Emissions from Manure Management	N_2O	16.26	17.13	<0.01	0.98
CO ₂ Emissions from Waste Incineration	CO_2	10.92	15.74	<0.01	0.98
N ₂ O Emissions from Wastewater Handling	N_2O	13.02	14.22	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.26	12.90	<0.01	0.98
CO ₂ Emissions from Lime Production	CO_2	11.24	12.80	<0.01	0.98
PFC Emissions from Aluminum Production	PFCs	18.34	11.83	<0.01	0.99
CO ₂ Emissions from Natural Gas Flaring	CO_2	5.81	8.99	<0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH ₄	6.06	8.41	<0.01	0.99

Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.84	8.18	<0.01	0.99
CH ₄ Emissions from Rice Production	CH ₄	7.12	7.62	<0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO_2	5.53	7.36	<0.01	0.99
N ₂ O Emissions from Settlements Remaining Settlements	N_2O	5.54	5.92	<0.01	0.99
SF ₆ Emissions from Magnesium Production	SF ₆	5.37	5.57	<0.01	0.99
CO ₂ Emissions from Aluminum Production	CO ₂	6.31	5.27	<0.01	0.99
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	2.91	4.95	<0.01	1.00
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.30	4.48	<0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO_2	4.14	4.30	<0.01	1.00
Mobile Combustion: Road & Other	CH ₄	4.55	4.17	<0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO ₃	2.22	2.75	<0.01	1.00
CO ₂ Emissions from Ferroalloys	CO_2	1.98	1.87	<0.01	1.00
Mobile Combustion: Aviation	N ₂ O	1.72	1.67	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO_2	1.31	1.67	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH ₄	1.17	1.53	<0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO_2	1.53	1.51	<0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.32	1.31	<0.01	1.00
CO ₂ Emissions from CO ₂ Consumption	CO_2	0.86	0.80	<0.01	1.00
CH ₄ Emissions from Agricultural Residue Burning	CH ₄	0.69	0.66	<0.01	1.00
Mobile Combustion: Marine	N_2O	0.39	0.44	<0.01	1.00
N ₂ O Emissions from Waste Incineration	N_2O	0.42	0.40	<0.01	1.00
N ₂ O Emissions from Agricultural Residue Burning	N_2O	0.37	0.38	<0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO_2	0.40	0.37	<0.01	1.00
N ₂ O Emissions from Forest Land Remaining Forest Land	N_2O	0.06	0.19	<0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.16	0.15	<0.01	1.00
Mobile Combustion: Marine	CH ₄	0.08	0.09	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production	CH₄	0.03	0.02	<0.01	1.00
TOTAL		6,088.11	6,407.36	1.00	

Table 1-9: 1996 Key Source Tier 1 Analysis - Level Assessment

	Direct				
	Greenhouse	1990 Estimate	1996 Estimate	Level	Cumulative
IPCC Source Categories	Gas	(Tg CO ₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	Total
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,680.89	1,872.64	0.28	0.28
Mobile Combustion: Road & Other	CO ₂	1,220.43	1,360.36	0.21	0.49
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	1,148.57	0.17	0.66
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	609.99	579.45	0.09	0.75
Mobile Combustion: Aviation	CO ₂	177.24	180.13	0.03	0.78
Direct N₂O Emissions from Agricultural Soils	N ₂ O	140.36	158.94	0.02	0.80
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	172.23	155.62	0.02	0.82
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	134.53	0.02	0.84
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock	CH ₄	117.86	120.52	0.02	0.86
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	107.96	114.01	0.02	0.88
Indirect N₂O Emissions from Nitrogen Used in Agriculture	N ₂ O	112.63	108.39	0.02	0.90
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	68.32	0.01	0.91
Fugitive Emissions from Coal Mining and Handling	CH ₄	81.89	63.16	0.01	0.92
Mobile Combustion: Marine	CO ₂	49.17	53.39	0.01	0.92
Mobile Combustion: Road & Other	N ₂ O	41.62	52.39	0.01	0.93
CO ₂ Emissions from Cement Production	CO ₂	33.28	37.08	0.01	0.94
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	35.12	0.01	0.94
CH ₄ Emissions from Manure Management	CH ₄	31.19	34.72	0.01	0.95
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	31.12	<0.01	0.95
CH ₄ Emissions from Wastewater Handling	CH₄	24.85	30.71	<0.01	0.96
SF ₆ Emissions from Electrical Equipment	SF_6	29.22	24.25	<0.01	0.96
N ₂ O Emissions from Nitric Acid Production	N ₂ O	17.85	20.71	<0.01	0.96
CO ₂ Emissions from Ammonia Production and Urea Application	CO_2	19.31	20.28	<0.01	0.97
Fugitive Emissions from Oil Operations	CH₄	19.97	18.74	<0.01	0.97
CO ₂ Emissions from Waste Incineration	CO_2	10.92	17.19	<0.01	0.97
N ₂ O Emissions from Adipic Acid Production	N ₂ O	15.20	17.04	<0.01	0.98
N ₂ O Emissions from Manure Management	N_2O	16.26	17.03	<0.01	0.98
N₂O Emissions from Wastewater Handling	N_2O	13.02	14.41	<0.01	0.98

$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Fugitive Emissions from Abandoned Coal Mines CH_4 6.06 8.63 <0.01 0.99 CO_2 Emissions from Natural Gas Flaring CO_2 5.81 8.53 <0.01 0.99 $Non-CO_2$ Emissions from Stationary Combustion CH_4 7.84 8.35 <0.01 0.99 CO_2 Emissions from Limestone and Dolomite Use CO_2 5.53 7.82 <0.01 0.99 CH_4 Emissions from Rice Production CH_4 7.12 6.97 <0.01 0.99 SF_6 Emissions from Magnesium Production SF_6 5.37 6.53 <0.01 0.99
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
CO $_2$ Emissions from Limestone and Dolomite Use CO $_2$ 5.53 7.82 <0.01 0.99 CH $_4$ Emissions from Rice Production CH $_4$ 7.12 6.97 <0.01 0.99 SF $_6$ Emissions from Magnesium Production SF $_6$ 5.37 6.53 <0.01 0.99
CH ₄ Emissions from Rice Production CH_4 7.12 6.97 <0.01 0.99 SF ₆ Emissions from Magnesium Production SF_6 5.37 6.53 <0.01 0.99
SF ₆ Emissions from Magnesium Production SF ₆ 5.37 6.53 <0.01 0.99
N ₂ O Emissions from Settlements Remaining Settlements N ₂ O 5.54 6.12 <0.01 0.99
CO ₂ Emissions from Aluminum Production CO ₂ 6.31 5.58 <0.01 0.99
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture SF ₆ 2.91 5.50 <0.01 1.00
N_2O Emissions from N_2O Product Usage N_2O 4.30 4.48 < 0.01 1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption CO ₂ 4.14 4.24 <0.01 1.00
Mobile Combustion: Road & Other CH ₄ 4.55 4.01 < 0.01 1.00
CO ₂ Emissions from Petrochemical Production CO ₃ 2.22 2.78 <0.01 1.00
CO ₂ Emissions from Ferroalloys CO ₂ 1.98 1.95 <0.01 1.00
Mobile Combustion: Aviation N_2O 1.72 1.75 <0.01 1.00
CO ₂ Emissions from Titanium Dioxide Production CO ₂ 1.31 1.66 <0.01 1.00
CH ₄ Emissions from Petrochemical Production CH ₄ 1.17 1.60 <0.01 1.00
CO ₂ Emissions from Phosphoric Acid Production CO ₂ 1.53 1.55 <0.01 1.00
CH ₄ Emissions from Iron and Steel Production CH ₄ 1.32 1.27 <0.01 1.00
CO ₂ Emissions from CO ₂ Consumption CO ₂ 0.86 0.76 <0.01 1.00
CH ₄ Emissions from Agricultural Residue Burning CH ₄ 0.69 0.75 <0.01 1.00
Mobile Combustion: Marine N_2O 0.39 0.43 <0.01 1.00
N ₂ O Emissions from Agricultural Residue Burning N ₂ O 0.37 0.42 <0.01 1.00
N_2O Emissions from Waste Incineration N_2O 0.42 0.41 <0.01 1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy CO ₂ 0.40 0.38 <0.01 1.00
N_2O Emissions from Forest Land Remaining Forest Land N_2O 0.06 0.24 <0.01 1.00
Mobile Combustion: Aviation CH ₄ 0.16 0.15 <0.01 1.00
Mobile Combustion: Marine CH ₄ 0.08 0.08 <0.01 1.00
CH ₄ Emissions from Silicon Carbide Production CH ₄ 0.03 0.02 <0.01 1.00
TOTAL 6,088.11 6,621.20 1.00

Table 1-10: 1997 Key Source Tier 1 Analysis - Level Assessment

	Direct				
	Greenhouse	1990 Estimate	1997 Estimate	Level	Cumulative
IPCC Source Categories	Gas	(Tg CO₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	Total
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,680.89	1,920.24	0.29	0.29
Mobile Combustion: Road & Other	CO ₂	1,220.43	1,385.64	0.21	0.50
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	1,152.53	0.17	0.67
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	609.99	586.69	0.09	0.76
Mobile Combustion: Aviation	CO ₂	177.24	178.96	0.03	0.78
Direct N ₂ O Emissions from Agricultural Soils	N ₂ O	140.36	155.86	0.02	0.81
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	172.23	147.35	0.02	0.83
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	133.63	0.02	0.85
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	107.96	120.30	0.02	0.87
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock	CH ₄	117.86	118.32	0.02	0.88
Indirect N ₂ O Emissions from Nitrogen Used in Agriculture	N ₂ O	112.63	96.17	0.01	0.90
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	71.86	0.01	0.91
Fugitive Emissions from Coal Mining and Handling	CH ₄	81.89	62.64	0.01	0.92
Mobile Combustion: Road & Other	N ₂ O	41.62	53.12	0.01	0.93
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	46.47	0.01	0.93
Mobile Combustion: Marine	CO ₂	49.17	38.73	0.01	0.94
CO ₂ Emissions from Cement Production	CO ₂	33.28	38.32	0.01	0.94
CH ₄ Emissions from Manure Management	CH ₄	31.19	36.39	0.01	0.95
CH ₄ Emissions from Wastewater Handling	CH ₄	24.85	31.70	<0.01	0.95
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	29.95	<0.01	0.96
SF ₆ Emissions from Electrical Equipment	SF ₆	29.22	21.66	<0.01	0.96
N ₂ O Emissions from Nitric Acid Production	N_2O	17.85	21.22	<0.01	0.97
CO ₂ Emissions from Ammonia Production and Urea Application	CO_2	19.31	20.65	<0.01	0.97

Fugitive Emissions from Oil Operations	CH ₄	19.97	18.79	<0.01	0.97
CO ₂ Emissions from Waste Incineration	CO_2	10.92	17.76	<0.01	0.97
N ₂ O Emissions from Manure Management	N_2O	16.26	17.34	<0.01	0.98
N ₂ O Emissions from Wastewater Handling	N ₂ O	13.02	14.68	<0.01	0.98
CO ₂ Emissions from Lime Production	CO_2	11.24	13.69	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N ₂ O	12.26	13.55	<0.01	0.98
PFC Emissions from Aluminum Production	PFCs	18.34	10.99	<0.01	0.98
N ₂ O Emissions from Adipic Acid Production	N ₂ O	15.20	10.31	<0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH ₄	6.06	8.09	<0.01	0.99
CO ₂ Emissions from Natural Gas Flaring	CO_2	5.81	7.87	<0.01	0.99
CH ₄ Emissions from Rice Production	CH ₄	7.12	7.48	<0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.84	7.38	<0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO_2	5.53	7.24	<0.01	0.99
SF ₆ Emissions from Magnesium Production	SF ₆	5.37	6.34	<0.01	0.99
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	2.91	6.32	<0.01	0.99
N ₂ O Emissions from Settlements Remaining Settlements	N_2O	5.54	6.12	<0.01	0.99
CO ₂ Emissions from Aluminum Production	CO_2	6.31	5.62	<0.01	1.00
N ₂ O Emissions from N ₂ O Product Usage	N_2O	4.30	4.77	<0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO_2	4.14	4.35	<0.01	1.00
Mobile Combustion: Road & Other	CH₄	4.55	3.84	<0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO₃	2.22	2.92	<0.01	1.00
CO ₂ Emissions from Ferroalloys	CO_2	1.98	2.04	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO_2	1.31	1.84	<0.01	1.00
Mobile Combustion: Aviation	N ₂ O	1.72	1.74	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH ₄	1.17	1.64	<0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO_2	1.53	1.54	<0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.32	1.25	<0.01	1.00
CO ₂ Emissions from CO ₂ Consumption	CO ₂	0.86	0.81	<0.01	1.00
CH ₄ Emissions from Agricultural Residue Burning	CH ₄	0.69	0.77	<0.01	1.00
N ₂ O Emissions from Agricultural Residue Burning	N ₂ O	0.37	0.45	<0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO_2	0.40	0.38	<0.01	1.00
N ₂ O Emissions from Waste Incineration	N ₂ O	0.42	0.38	<0.01	1.00
Mobile Combustion: Marine	N_2O	0.39	0.32	<0.01	1.00
N ₂ O Emissions from Forest Land Remaining Forest Land	N ₂ O	0.06	0.30	<0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.16	0.15	<0.01	1.00
Mobile Combustion: Marine	CH ₄	0.08	0.06	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production	CH ₄	0.03	0.02	<0.01	1.00
TOTAL		6,088.11	6,677.52	1.00	

Table 1-11: 1998 Key Source Tier 1 Analysis - Level Assessment
Direct

Direct				
Greenhouse	1990 Estimate	1998 Estimate	Level	Cumulative
Gas	(Tg CO ₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	Total
CO ₂	1,680.89	1,936.49	0.29	0.29
CO ₂	1,220.43	1,419.71	0.21	0.50
CO ₂	973.63	1,134.77	0.17	0.67
CO ₂	609.99	573.65	0.09	0.75
CO ₂	177.24	181.33	0.03	0.78
N ₂ O	140.36	158.63	0.02	0.80
CH ₄	172.23	138.49	0.02	0.82
CO ₂	107.96	135.35	0.02	0.85
CH ₄	128.35	131.79	0.02	0.86
CH ₄	117.86	116.70	0.02	0.88
N ₂ O	112.63	109.12	0.02	0.90
CO ₂	85.41	67.43	0.01	0.91
CH ₄	81.89	62.76	0.01	0.92
Several	0.40	56.57	0.01	0.93
N ₂ O	41.62	53.31	0.01	0.93
HFCs	34.98	40.13	0.01	0.94
CO ₂	33.28	39.22	0.01	0.95
CH₄	31.19	38.85	0.01	0.95
	Greenhouse Gas CO2 CO2 CO2 CO2 CO2 CO2 CO2 CO4 CC4 CC4 CC4 CC4 CC4 CC4 CC4 CC4 CC4	Greenhouse 1990 Estimate Gas (Tg CO2 Eq.) CO2 1,680.89 CO2 1,220.43 CO2 973.63 CO2 609.99 CO2 177.24 N2O 140.36 CH4 172.23 CO2 107.96 CH4 117.86 N2O 112.63 CO2 85.41 CH4 81.89 Several 0.40 N2O 41.62 HFCs 34.98 CO2 33.28	Greenhouse 1990 Estimate 1998 Estimate Gas (Tg CO ₂ Eq.) (Tg CO ₂ Eq.) CO ₂ 1,680.89 1,936.49 CO ₂ 1,220.43 1,419.71 CO ₂ 973.63 1,134.77 CO ₂ 609.99 573.65 CO ₂ 177.24 181.33 N ₂ O 140.36 158.63 CH ₄ 172.23 138.49 CO ₂ 107.96 135.35 CH ₄ 128.35 131.79 CH ₄ 117.86 116.70 N ₂ O 112.63 109.12 CO ₂ 85.41 67.43 CH ₄ 81.89 62.76 Several 0.40 56.57 N ₂ O 41.62 53.31 HFCs 34.98 40.13 CO ₂ 33.28 39.22	Gas (Tg CO ₂ Eq.) (Tg CO ₂ Eq.) Assessment CO ₂ 1,680.89 1,936.49 0.29 CO ₂ 1,220.43 1,419.71 0.21 CO ₂ 973.63 1,134.77 0.17 CO ₂ 609.99 573.65 0.09 CO ₂ 177.24 181.33 0.03 N ₂ O 140.36 158.63 0.02 CH ₄ 172.23 138.49 0.02 CO ₂ 107.96 135.35 0.02 CH ₄ 128.35 131.79 0.02 CH ₄ 117.86 116.70 0.02 N ₂ O 112.63 109.12 0.02 CO ₂ 85.41 67.43 0.01 CH ₄ 81.89 62.76 0.01 Several 0.40 56.57 0.01 N ₂ O 41.62 53.31 0.01 HFCs 34.98 40.13 0.01 HFCs 34.98 40.13 0.01

CH ₄ Emissions from Wastewater Handling	CH ₄	24.85	32.55	<0.01	0.96
Mobile Combustion: Marine	CO_2	49.17	32.41	<0.01	0.96
CO ₂ Emissions from Ammonia Production and Urea Application	CO ₂	19.31	21.93	<0.01	0.96
N ₂ O Emissions from Nitric Acid Production	N_2O	17.85	20.88	<0.01	0.97
Fugitive Emissions from Oil Operations	CH ₄	19.97	18.46	<0.01	0.97
N ₂ O Emissions from Manure Management	N_2O	16.26	17.39	<0.01	0.97
CO ₂ Emissions from Waste Incineration	CO_2	10.92	17.09	<0.01	0.98
SF ₆ Emissions from Electrical Equipment	SF ₆	29.22	17.06	<0.01	0.98
N ₂ O Emissions from Wastewater Handling	N_2O	13.02	14.96	<0.01	0.98
CO ₂ Emissions from Lime Production	CO_2	11.24	13.91	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.26	13.38	<0.01	0.98
PFC Emissions from Aluminum Production	PFCs	18.34	9.05	<0.01	0.99
CH ₄ Emissions from Rice Production	CH ₄	7.12	7.90	<0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO_2	5.53	7.45	< 0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH ₄	6.06	7.15	<0.01	0.99
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	2.91	7.13	<0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.84	6.88	<0.01	0.99
CO ₂ Emissions from Natural Gas Flaring	CO ₂	5.81	6.57	<0.01	0.99
N ₂ O Emissions from Settlements Remaining Settlements	N ₂ O	5.54	6.14	<0.01	0.99
N ₂ O Emissions from Adipic Acid Production	N ₂ O	15.20	5.99	<0.01	0.99
CO ₂ Emissions from Aluminum Production	CO ₂	6.31	5.79	<0.01	0.99
SF ₆ Emissions from Magnesium Production	SF ₆	5.37	5.79	<0.01	1.00
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.30	4.77	< 0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO ₂	4.14	4.32	<0.01	1.00
Mobile Combustion: Road & Other	CH ₄	4.55	3.68	< 0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO ₃	2.22	3.01	< 0.01	1.00
CO ₂ Emissions from Ferroalloys	CO ₂	1.98	2.03	< 0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO_2	1.31	1.82	< 0.01	1.00
Mobile Combustion: Aviation	N_2O	1.72	1.77	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH ₄	1.17	1.68	< 0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO_2	1.53	1.59	<0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.32	1.20	<0.01	1.00
CO ₂ Emissions from CO ₂ Consumption	CO_2	0.86	0.91	<0.01	1.00
CH ₄ Emissions from Agricultural Residue Burning	CH ₄	0.69	0.79	< 0.01	1.00
N ₂ O Emissions from Agricultural Residue Burning	N ₂ O	0.37	0.46	< 0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO_2	0.40	0.38	< 0.01	1.00
N ₂ O Emissions from Forest Land Remaining Forest Land	N ₂ O	0.06	0.35	< 0.01	1.00
N ₂ O Emissions from Waste Incineration	N ₂ O	0.42	0.35	< 0.01	1.00
Mobile Combustion: Marine	N ₂ O	0.39	0.27	<0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.16	0.15	<0.01	1.00
Mobile Combustion: Marine	CH ₄	0.08	0.05	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production	CH ₄	0.03	0.02	<0.01	1.00
TOTAL		6,088.11	6,719.75	1.00	
N. C.	I to this one had	-1	. 1		

Table 1-12: 1999 Key Source Tier 1 Analysis - Level Assessment

	Direct				
	Greenhouse	1990 Estimate	1999 Estimate	Level	Cumulative
IPCC Source Categories	Gas	(Tg CO ₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	Total
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,680.89	1,938.19	0.29	0.29
Mobile Combustion: Road & Other	CO ₂	1,220.43	1,461.77	0.22	0.50
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	1,138.03	0.17	0.67
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	609.99	578.54	0.09	0.76
Mobile Combustion: Aviation	CO ₂	177.24	186.74	0.03	0.79
Direct N ₂ O Emissions from Agricultural Soils	N ₂ O	140.36	151.10	0.02	0.81
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	107.96	141.58	0.02	0.83
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	172.23	134.02	0.02	0.85
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	127.39	0.02	0.87
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock	CH ₄	117.86	116.78	0.02	0.88
Indirect N ₂ O Emissions from Nitrogen Used in Agriculture	N ₂ O	112.63	92.31	0.01	0.90
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	65.81	0.01	0.91
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	64.38	0.01	0.92

Funitive Engineers Coal Mining and Handling	CLI	04.00	F0 00	0.01	0.02
Fugitive Emissions from Coal Mining and Handling	CH ₄	81.89	58.89	0.01	0.93
Mobile Combustion: Road & Other	N ₂ O CO ₂	41.62 49.17	52.46 42.26	0.01 0.01	0.93
Mobile Combustion: Marine					0.94
CO ₂ Emissions from Cement Production	CO ₂	33.28	39.99 38.76	0.01	0.95
CH ₄ Emissions from Manure Management	CH ₄	31.19		0.01	
CH ₄ Emissions from Wastewater Handling	CH ₄	24.85	33.65	<0.01	0.96
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	30.42	<0.01	0.96
CO ₂ Emissions from Ammonia Production and Urea Application	CO ₂	19.31	20.61	<0.01	0.96
N ₂ O Emissions from Nitric Acid Production	N ₂ O	17.85	20.12	<0.01	0.97
Fugitive Emissions from Oil Operations	CH₄	19.97	17.81	<0.01	0.97
CO ₂ Emissions from Waste Incineration	CO_2	10.92	17.63	<0.01	0.97
N ₂ O Emissions from Manure Management	N ₂ O	16.26	17.41	<0.01	0.98
SF ₆ Emissions from Electrical Equipment	SF_6	29.22	16.39	<0.01	0.98
N ₂ O Emissions from Wastewater Handling	N_2O	13.02	15.45	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.26	13.48	<0.01	0.98
CO ₂ Emissions from Lime Production	CO_2	11.24	13.47	<0.01	0.98
PFC Emissions from Aluminum Production	PFCs	18.34	8.96	<0.01	0.99
CH ₄ Emissions from Rice Production	CH ₄	7.12	8.29	<0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO_2	5.53	8.06	< 0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH ₄	6.06	7.32	< 0.01	0.99
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	2.91	7.23	< 0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.84	7.10	< 0.01	0.99
CO ₂ Emissions from Natural Gas Flaring	CO_2	5.81	6.94	< 0.01	0.99
N ₂ O Emissions from Settlements Remaining Settlements	N ₂ O	5.54	6.16	< 0.01	0.99
SF ₆ Emissions from Magnesium Production	SF ₆	5.37	6.01	< 0.01	0.99
CO ₂ Emissions from Aluminum Production	CO ₂	6.31	5.90	< 0.01	0.99
N ₂ O Emissions from Adipic Acid Production	N ₂ O	15.20	5.48	<0.01	1.00
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.30	4.77	<0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO ₂	4.14	4.22	<0.01	1.00
Mobile Combustion: Road & Other	CH ₄	4.55	3.39	<0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO ₃	2.22	3.05	<0.01	1.00
CO ₂ Emissions from Ferroalloys	CO ₂	1.98	2.00	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO ₂	1.31	1.85	<0.01	1.00
Mobile Combustion: Aviation	N ₂ O	1.72	1.82	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH ₄	1.17	1.71	<0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO ₂	1.53	1.54	<0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.32	1.17	<0.01	1.00
CO ₂ Emissions from CO2 Consumption	CO ₂	0.86	0.85	<0.01	1.00
CH ₄ Emissions from Agricultural Residue Burning	CO ₂ CH ₄	0.69	0.03	<0.01	1.00
N ₂ O Emissions from Forest Land Remaining Forest Land	N ₂ O	0.09	0.77	<0.01	1.00
		0.37	0.47	<0.01	1.00
N ₂ O Emissions from Agricultural Residue Burning	N ₂ O	0.37	0.45	<0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO ₂				
Mobile Combustion: Marine	N ₂ O	0.39	0.35	< 0.01	1.00
N ₂ O Emissions from Waste Incineration	N ₂ O	0.42	0.33	< 0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.16	0.15	< 0.01	1.00
Mobile Combustion: Marine	CH₄	0.08	0.07	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production	CH ₄	0.03	0.02	<0.01	1.00
TOTAL		6,088.11	6,752.23	1.00	

Table 1-13: 2000 Key Source Tier 1 Analysis - Level Assessment

	Direct				
	Greenhouse	1990 Estimate	2000 Estimate	Level	Cumulative
IPCC Source Categories	Gas	(Tg CO ₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	Total
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,680.89	2,025.62	0.29	0.29
Mobile Combustion: Road & Other	CO ₂	1,220.43	1,481.40	0.21	0.50
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	1,188.67	0.17	0.68
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	609.99	592.74	0.09	0.76
Mobile Combustion: Aviation	CO ₂	177.24	193.18	0.03	0.79
Direct N ₂ O Emissions from Agricultural Soils	N_2O	140.36	156.28	0.02	0.81
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	132.06	0.02	0.83
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	172.23	130.68	0.02	0.85

21

CO. Emissians from Non Energy Hos of Eugla	CO-	107.06	104.71	0.00	0.07
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	107.96	124.71	0.02	0.87
CH4 Emissions from Enteric Fermentation in Domestic Livestock	CH ₄	117.86	115.60	0.02	0.88
Indirect N ₂ O Emissions from Nitrogen Used in Agriculture	N ₂ O	112.63	107.58	0.02	0.90
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	75.01	0.01	0.91
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	65.69	0.01	0.92
Mobile Combustion: Marine	CO ₂	49.17	63.11	0.01	0.93
Fugitive Emissions from Coal Mining and Handling	CH₄	81.89	56.22	0.01	0.94
Mobile Combustion: Road & Other	N ₂ O	41.62	50.77	0.01	0.94
CO ₂ Emissions from Cement Production	CO ₂	33.28	41.19	0.01	0.95
CH ₄ Emissions from Manure Management	CH ₄	31.19	38.08	0.01	0.95
CH ₄ Emissions from Wastewater Handling	CH ₄	24.85	34.34	<0.01	0.96
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	29.79	<0.01	0.96
CO ₂ Emissions from Ammonia Production and Urea Application	CO_2	19.31	19.62	<0.01	0.97
N ₂ O Emissions from Nitric Acid Production	N_2O	17.85	19.59	<0.01	0.97
CO ₂ Emissions from Waste Incineration	CO_2	10.92	17.98	<0.01	0.97
N ₂ O Emissions from Manure Management	N ₂ O	16.26	17.81	<0.01	0.97
Fugitive Emissions from Oil Operations	CH ₄	19.97	17.55	<0.01	0.98
SF ₆ Emissions from Electrical Equipment	SF ₆	29.22	15.65	< 0.01	0.98
N ₂ O Emissions from Wastewater Handling	N ₂ O	13.02	15.56	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N ₂ O	12.26	14.00	<0.01	0.98
CO ₂ Emissions from Lime Production	CO ₂	11.24	13.31	<0.01	0.99
PFC Emissions from Aluminum Production	PFCs	18.34	8.95	<0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH ₄	6.06	7.74	<0.01	0.99
CH ₄ Emissions from Rice Production	CH ₄	7.12	7.49	<0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.12 7.84	7.49 7.34	<0.01	0.99
		2.91	6.30		
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	15.20		<0.01 <0.01	0.99
N ₂ O Emissions from Adipic Acid Production	N₂O		6.04		0.99
N ₂ O Emissions from Settlements Remaining Settlements	N₂O	5.54	5.98	<0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO ₂	5.53	5.96	<0.01	0.99
CO ₂ Emissions from Natural Gas Flaring	CO ₂	5.81	5.77	<0.01	0.99
CO ₂ Emissions from Aluminum Production	CO ₂	6.31	5.72	<0.01	1.00
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.30	4.77	<0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO_2	4.14	4.18	<0.01	1.00
SF ₆ Emissions from Magnesium Production	SF ₆	5.37	3.18	<0.01	1.00
Mobile Combustion: Road & Other	CH₄	4.55	3.12	<0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO₃	2.22	3.00	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO_2	1.31	1.92	<0.01	1.00
Mobile Combustion: Aviation	N_2O	1.72	1.88	<0.01	1.00
CO ₂ Emissions from Ferroalloys	CO_2	1.98	1.72	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH ₄	1.17	1.68	<0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO_2	1.53	1.38	<0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.32	1.21	<0.01	1.00
CO ₂ Emissions from CO ₂ Consumption	CO ₂	0.86	0.96	<0.01	1.00
CH ₄ Emissions from Agricultural Residue Burning	CH ₄	0.69	0.79	<0.01	1.00
Mobile Combustion: Marine	N ₂ O	0.39	0.51	< 0.01	1.00
N ₂ O Emissions from Agricultural Residue Burning	N ₂ O	0.37	0.46	<0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO ₂	0.40	0.36	<0.01	1.00
N ₂ O Emissions from Forest Land Remaining Forest Land	N ₂ O	0.06	0.35	<0.01	1.00
N ₂ O Emissions from Waste Incineration	N ₂ O	0.42	0.35	<0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.16	0.16	<0.01	1.00
Mobile Combustion: Aviation Mobile Combustion: Marine	CH ₄	0.08	0.10	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production	CH ₄	0.03	0.10	<0.01	
TOTAL	UП4				1.00
Notes Circles (s. s. 11105 see 4511 Ocedons Ottons on Section 1 and Single	1. 0. 1.	6,088.11	6,953.18	1.00	

Table 1-14: 2001 Key Source Tier 1 Analysis - Level Assessment

	Direct				-
	Greenhouse	1990 Estimate	2001 Estimate	Level	Cumulative
IPCC Source Categories	Gas	(Tg CO ₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	Total
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,680.89	1,959.21	0.29	0.29
Mobile Combustion: Road & Other	CO ₂	1,220.43	1,493.54	0.22	0.51
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	1,140.52	0.17	0.67

CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	609.99	628.19	0.09	0.77
Mobile Combustion: Aviation	CO ₂	177.24	183.41	0.03	0.79
Direct N ₂ O Emissions from Agricultural Soils	N ₂ O	140.36	154.46	0.02	0.82
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	131.82	0.02	0.84
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	172.23	126.21	0.02	0.85
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	107.96	120.10	0.02	0.87
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock	CH₄	117.86	114.54	0.02	0.89
Indirect N₂O Emissions from Nitrogen Used in Agriculture	N ₂ O	112.63	102.65	0.02	0.90
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	83.25	0.01	0.92
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	58.89	0.01	0.93
Fugitive Emissions from Coal Mining and Handling	CH ₄	81.89	55.60	0.01	0.93
Mobile Combustion: Road & Other	N ₂ O	41.62	46.82	0.01	0.94
Mobile Combustion: Noad & Other	CO ₂	49.17	42.74	0.01	0.95
CO ₂ Emissions from Cement Production	CO ₂	33.28	41.36	0.01	0.95
CH ₄ Emissions from Manure Management	CH ₄	31.19	38.92	0.01	0.96
	CH ₄	24.85	34.66	0.01	0.96
CH ₄ Emissions from Wastewater Handling					
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	19.82	<0.01	0.97
CO ₂ Emissions from Waste Incineration	CO ₂	10.92	18.78	<0.01	0.97
N ₂ O Emissions from Manure Management	N ₂ O	16.26	18.03	<0.01	0.97
Fugitive Emissions from Oil Operations	CH ₄	19.97	17.45	<0.01	0.97
CO ₂ Emissions from Ammonia Production and Urea Application	CO_2	19.31	16.72	<0.01	0.98
N ₂ O Emissions from Nitric Acid Production	N_2O	17.85	15.91	<0.01	0.98
N ₂ O Emissions from Wastewater Handling	N_2O	13.02	15.63	<0.01	0.98
SF ₆ Emissions from Electrical Equipment	SF ₆	29.22	15.42	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.26	13.46	<0.01	0.99
CO ₂ Emissions from Lime Production	CO_2	11.24	12.82	<0.01	0.99
CH ₄ Emissions from Rice Production	CH₄	7.12	7.64	< 0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH₄	6.06	6.95	< 0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.84	6.67	< 0.01	0.99
CO ₂ Emissions from Natural Gas Flaring	CO_2	5.81	6.09	< 0.01	0.99
N ₂ O Emissions from Settlements Remaining Settlements	N ₂ O	5.54	5.81	< 0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO ₂	5.53	5.73	< 0.01	0.99
N ₂ O Emissions from Adipic Acid Production	N ₂ O	15.20	4.92	<0.01	0.99
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.30	4.77	<0.01	0.99
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	2.91	4.47	<0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO ₂	4.14	4.15	<0.01	1.00
CO ₂ Emissions from Aluminum Production	CO ₂	6.31	4.11	<0.01	1.00
PFC Emissions from Aluminum Production	PFCs	18.34	4.00	<0.01	1.00
Mobile Combustion: Road & Other	CH ₄	4.55	2.88	<0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO ₃	2.22	2.79	<0.01	1.00
SF ₆ Emissions from Magnesium Production	SF ₆	5.37	2.75	<0.01	1.00
<u> </u>	CO ₂	1.31	1.86	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production				<0.01	1.00
Mobile Combustion: Aviation	N ₂ O	1.72	1.79		
CH ₄ Emissions from Petrochemical Production	CH₄	1.17	1.43	< 0.01	1.00
CO ₂ Emissions from Ferroalloys	CO ₂	1.98	1.33	< 0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO ₂	1.53	1.26	< 0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH₄	1.32	1.07	<0.01	1.00
CO ₂ Emissions from CO ₂ Consumption	CO ₂	0.86	0.82	<0.01	1.00
CH ₄ Emissions from Agricultural Residue Burning	CH ₄	0.69	0.77	<0.01	1.00
N ₂ O Emissions from Agricultural Residue Burning	N ₂ O	0.37	0.46	<0.01	1.00
N ₂ O Emissions from Waste Incineration	N ₂ O	0.42	0.40	<0.01	1.00
N ₂ O Emissions from Forest Land Remaining Forest Land	N ₂ O	0.06	0.39	<0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO_2	0.40	0.35	<0.01	1.00
Mobile Combustion: Marine	N ₂ O	0.39	0.35	<0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.16	0.15	<0.01	1.00
Mobile Combustion: Marine	CH ₄	0.08	0.07	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production	CH ₄	0.03	0.01	< 0.01	1.00
TOTAL		6,088.11	6,806.94	1.00	
Note: Circle (a.g. LLICE Landfill Carbon Changes) are not include	11 01 1 1				

Table 1-15: 2002 Key Source Tier 1 Analysis - Level Assessment

IPCC Source Categories	Direct	1990 Estimate	2002 Estimate	Level	Cumulative
------------------------	--------	---------------	---------------	-------	------------

	Greenhouse Gas	(Tg CO ₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	Total
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,680.89	1,973.11	0.29	0.29
Mobile Combustion: Road & Other	CO ₂	1,220.43	1,520.12	0.22	0.51
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	1,176.91	0.17	0.68
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	609.99	598.77	0.09	0.77
Mobile Combustion: Aviation	CO ₂	177.24	174.92	0.03	0.79
Direct N ₂ O Emissions from Agricultural Soils	N ₂ O	140.36	159.90	0.02	0.82
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	130.65	0.02	0.84
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	172.23	126.82	0.02	0.85
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂ CH ₄	107.96	118.81	0.02	0.87
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock Indirect N ₂ O Emissions from Nitrogen Used in Agriculture	N ₂ O	117.86 112.63	114.61 92.67	0.02 0.01	0.89 0.90
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	91.54	0.01	0.90
Mobile Combustion: Marine	CO ₂	49.17	57.22	0.01	0.92
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	55.08	0.01	0.93
Fugitive Emissions from Coal Mining and Handling	CH ₄	81.89	52.43	0.01	0.94
Mobile Combustion: Road & Other	N ₂ O	41.62	43.46	0.01	0.95
CO ₂ Emissions from Cement Production	CO ₂	33.28	42.90	0.01	0.95
CH ₄ Emissions from Manure Management	CH ₄	31.19	39.33	0.01	0.96
CH ₄ Emissions from Wastewater Handling	CH ₄	24.85	35.81	0.01	0.96
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	19.79	< 0.01	0.97
CO ₂ Emissions from Waste Incineration	CO ₂	10.92	18.78	<0.01	0.97
CO ₂ Emissions from Ammonia Production and Urea Application	CO_2	19.31	18.57	< 0.01	0.97
N ₂ O Emissions from Manure Management	N_2O	16.26	17.94	< 0.01	0.97
N ₂ O Emissions from Nitric Acid Production	N_2O	17.85	17.21	< 0.01	0.98
Fugitive Emissions from Oil Operations	CH ₄	19.97	17.11	< 0.01	0.98
N ₂ O Emissions from Wastewater Handling	N_2O	13.02	15.68	< 0.01	0.98
SF ₆ Emissions from Electrical Equipment	SF ₆	29.22	14.71	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.26	13.53	<0.01	0.99
CO ₂ Emissions from Lime Production	CO_2	11.24	12.30	<0.01	0.99
CH ₄ Emissions from Rice Production	CH ₄	7.12	6.83	<0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH₄	7.84	6.40	<0.01	0.99
Fugitive Emissions from Abandoned Coal Mines	CH₄	6.06	6.37	<0.01	0.99
CO ₂ Emissions from Natural Gas Flaring	CO ₂	5.81	6.23	<0.01	0.99
N ₂ O Emissions from Settlements Remaining Settlements	N ₂ O	5.54	6.02	< 0.01	0.99
N ₂ O Emissions from Adipic Acid Production CO ₂ Emissions from Limestone and Dolomite Use	N ₂ O CO ₂	15.20 5.53	5.90 5.88	<0.01 <0.01	0.99 0.99
PFC Emissions from Aluminum Production	PFCs	18.34	5.24	<0.01	0.99
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.30	4.77	<0.01	1.00
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	2.91	4.35	<0.01	1.00
CO ₂ Emissions from Aluminum Production	CO ₂	6.31	4.22	<0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO ₂	4.14	4.14	<0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO ₃	2.22	2.86	<0.01	1.00
Mobile Combustion: Road & Other	CH ₄	4.55	2.66	<0.01	1.00
SF ₆ Emissions from Magnesium Production	SF ₆	5.37	2.65	< 0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO_2	1.31	2.00	< 0.01	1.00
Mobile Combustion: Aviation	N_2O	1.72	1.71	< 0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH ₄	1.17	1.52	< 0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO_2	1.53	1.34	< 0.01	1.00
CO ₂ Emissions from Ferroalloys	CO_2	1.98	1.24	<0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.32	1.00	<0.01	1.00
CO ₂ Emissions from CO ₂ Consumption	CO_2	0.86	0.98	<0.01	1.00
CH ₄ Emissions from Agricultural Residue Burning	CH₄	0.69	0.71	<0.01	1.00
Mobile Combustion: Marine	N ₂ O	0.39	0.47	<0.01	1.00
N ₂ O Emissions from Waste Incineration	N ₂ O	0.42	0.46	<0.01	1.00
N ₂ O Emissions from Agricultural Residue Burning	N₂O	0.37	0.43	< 0.01	1.00
N ₂ O Emissions from Forest Land Remaining Forest Land	N₂O	0.06	0.39	< 0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO ₂	0.40	0.37	< 0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.16	0.14	< 0.01	1.00
Mobile Combustion: Marine CH, Emissions from Silicon Carbide Production	CH ₄	0.08	0.09	<0.01	1.00
CH ₄ Emissions from Silicon Carbide Production	CH ₄	0.03	0.01	<0.01	1.00

TOTAL 6,088.11 6,858.05 1.00

Note: Sinks (e.g., LUCF, Landfill Carbon Storage) are not included in this analysis.

Table 1-16: 2003 Key Source Tier 1 Analysis - Level Assessment

Table 1-10: 2003 key source Her Tanaiysis - Levera					
	Direct	1000 Fatimata	2002 Fatimata	ا میرما	Cumanulatina
IDCC Cauras Catagorias		1990 Estimate	2003 Estimate	Level	Cumulative
IPCC Source Categories	Gas	(Tg CO ₂ Eq.)		Assessment	Total
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,680.89	2,013.80	0.29	0.29
Mobile Combustion: Road & Other	CO ₂	1,220.43	1,538.50	0.22	0.51
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	1,134.93	0.16	0.68
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	609.99	635.30	0.09	0.77
Mobile Combustion: Aviation	CO ₂	177.24	171.26	0.02	0.80
Direct N ₂ O Emissions from Agricultural Soils	N ₂ O	140.36	155.28	0.02	0.82
CH ₄ Emissions from Solid Waste Disposal Sites	CH ₄	172.23	131.17	0.02	0.84
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	125.95	0.02	0.86
CO ₂ Emissions from Non-Energy Use of Fuels	CO ₂	107.96	118.00	0.02	0.87
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock	CH ₄	117.86	114.98	0.02	0.89
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	99.47	0.01	0.90
Indirect N₂O Emissions from Nitrogen Used in Agriculture	N ₂ O	112.63	98.23	0.01	0.92
Mobile Combustion: Marine	CO ₂	49.17	57.45	0.01	0.93
Fugitive Emissions from Coal Mining and Handling	CH ₄	81.89	53.78	0.01	0.93
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	53.76	0.01	0.94
CO ₂ Emissions from Cement Production	CO ₂	33.28	43.03	0.01	0.95
Mobile Combustion: Road & Other	N ₂ O	41.62	39.93	0.01	0.95
CH ₄ Emissions from Manure Management	CH ₄	31.19	39.14	0.01	0.96
CH ₄ Emissions from Wastewater Handling	CH ₄	24.85	36.77	0.01	0.97
CO ₂ Emissions from Waste Incineration	CO ₂	10.92	18.78	< 0.01	0.97
N ₂ O Emissions from Manure Management	N ₂ O	16.26	17.53	<0.01	0.97
Fugitive Emissions from Oil Operations	CH ₄	19.97	17.11	<0.01	0.97
N ₂ O Emissions from Wastewater Handling	N ₂ O	13.02	15.88	<0.01	0.98
N ₂ O Emissions from Nitric Acid Production	N ₂ O	17.85	15.84	<0.01	0.98
CO ₂ Emissions from Ammonia Production and Urea Application	CO ₂	19.31	15.56	<0.01	0.98
SF ₆ Emissions from Electrical Equipment	SF ₆	29.22	14.11	<0.01	0.98
Non-CO ₂ Emissions from Stationary Combustion	N ₂ O	12.26	13.84	<0.01	0.98
CO ₂ Emissions from Lime Production	CO ₂	11.24	12.98	<0.01	0.99
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	12.33	<0.01	0.99
CH ₄ Emissions from Rice Production	CH ₄	7.12	6.89	<0.01	0.99
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.12	6.70	<0.01	0.99
	CH ₄	6.06	6.43	<0.01	0.99
Fugitive Emissions from Abandoned Coal Mines					
N ₂ O Emissions from Settlements Remaining Settlements	N ₂ O	5.54 15.20	6.02	<0.01	0.99
N ₂ O Emissions from Adipic Acid Production	N ₂ O		6.01	<0.01	0.99
CO ₂ Emissions from Natural Gas Flaring	CO ₂	5.81	5.97	<0.01	0.99
N ₂ O Emissions from N ₂ O Product Usage	N ₂ O	4.30	4.77	<0.01	0.99
CO ₂ Emissions from Limestone and Dolomite Use	CO ₂	5.53	4.72	<0.01	0.99
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	2.91	4.34	<0.01	1.00
CO ₂ Emissions from Aluminum Production	CO ₂	6.31	4.22	<0.01	1.00
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO ₂	4.14	4.08	<0.01	1.00
PFC Emissions from Aluminum Production	PFCs	18.34	3.80	<0.01	1.00
SF ₆ Emissions from Magnesium Production	SF ₆	5.37	2.97	<0.01	1.00
CO ₂ Emissions from Petrochemical Production	CO ₃	2.22	2.78	<0.01	1.00
Mobile Combustion: Road & Other	CH₄	4.55	2.46	<0.01	1.00
CO ₂ Emissions from Titanium Dioxide Production	CO_2	1.31	2.01	<0.01	1.00
Mobile Combustion: Aviation	N_2O	1.72	1.67	<0.01	1.00
CH ₄ Emissions from Petrochemical Production	CH₄	1.17	1.52	<0.01	1.00
CO ₂ Emissions from Phosphoric Acid Production	CO_2	1.53	1.38	<0.01	1.00
CO ₂ Emissions from Ferroalloys	CO_2	1.98	1.37	<0.01	1.00
CO ₂ Emissions from CO ₂ Consumption	CO_2	0.86	1.27	< 0.01	1.00
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.32	1.02	< 0.01	1.00
CH ₄ Emissions from Agricultural Residue Burning	CH ₄	0.69	0.79	< 0.01	1.00
Mobile Combustion: Marine	N ₂ O	0.39	0.46	<0.01	1.00
N ₂ O Emissions from Waste Incineration	N ₂ O	0.42	0.46	<0.01	1.00
N ₂ O Emissions from Agricultural Residue Burning	N ₂ O	0.37	0.44	< 0.01	1.00

N ₂ O Emissions from Forest Land Remaining Forest Land	N ₂ O	0.06	0.39	<0.01	1.00
CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO_2	0.40	0.34	< 0.01	1.00
Mobile Combustion: Aviation	CH ₄	0.16	0.14	< 0.01	1.00
Mobile Combustion: Marine	CH ₄	0.08	0.09	< 0.01	1.00
CH ₄ Emissions from Silicon Carbide Production	CH ₄	0.03	0.01	< 0.01	1.00
TOTAL		6,088.11	6,900.23	1.00	

Table 1-17: 1990-2003 Key Source Tier 1 Analysis - Trend Assessment

Table 1-17. 1770-2003 key 30ui ce 11ei Thilalysis - 116	ziiu ASS		0000			
	ъ	1990	2003	.	Percent	0 1 11
IDCC Cauras Catamarias	Direct	Estimate	Estimate		Contribution	
IPCC Source Categories	GHG	(TgCO ₂ Eq.)	(Tg CO ₂ Eq.)	Assessment	to Trend	Total
Mobile Combustion: Road & Other	CO ₂	1,220.43	1,538.50	0.02	18	18
CO ₂ Emissions from Stationary Combustion - Coal	CO ₂	1,680.89	2,013.80	0.01	13	31
Emissions from Substitutes for Ozone Depleting Substances	Several	0.40	99.47	0.01	12	43
CH ₄ Emissions from Solid Waste Disposal Sites	CH₄	172.23	131.17	0.01	8	50
CO ₂ Emissions from Stationary Combustion - Oil	CO ₂	609.99	635.30	0.01	7	57
CO ₂ Emissions from Iron and Steel Production	CO ₂	85.41	53.76	0.01	5	62
Fugitive Emissions from Coal Mining and Handling	CH₄	81.89	53.78	<0.01	5	67
CO ₂ Emissions from Stationary Combustion - Gas	CO ₂	973.63	1,134.93	<0.01	4	70
Mobile Combustion: Aviation	CO ₂	177.24	171.26	<0.01	3	74
Indirect N ₂ O Emissions from Nitrogen Used in Agriculture	N ₂ O	112.63	98.23	<0.01	3	77
HFC-23 Emissions from HCFC-22 Manufacture	HFCs	34.98	12.33	<0.01	3	80
Fugitive Emissions from Natural Gas Operations	CH ₄	128.35	125.95	<0.01	2	83
SF ₆ Emissions from Electrical Equipment	SF ₆	29.22	14.11	<0.01	2	85
CH ₄ Emissions from Enteric Fermentation in Domestic Livestock	CH ₄	117.86	114.98	<0.01	2	87
PFC Emissions from Aluminum Production	PFCs	18.34	3.80	<0.01	2	89
N ₂ O Emissions from Adipic Acid Production	N_2O	15.20	6.01	<0.01	1	91
CH ₄ Emissions from Wastewater Handling	CH ₄	24.85	36.77	<0.01	1	92
Mobile Combustion: Road & Other	N_2O	41.62	39.93	<0.01	1	92
CO ₂ Emissions from Waste Incineration	CO_2	10.92	18.78	<0.01	1	93
CO ₂ Emissions from Ammonia Production and Urea Application	CO ₂	19.31	15.56	<0.01	1	94
Fugitive Emissions from Oil Operations	CH ₄	19.97	17.11	<0.01	1	95
CO ₂ Emissions from Cement Production	CO ₂	33.28	43.03	<0.01	1	95
N ₂ O Emissions from Nitric Acid Production	N_2O	17.85	15.84	< 0.01	1	96
CO ₂ Emissions from Non-Energy Use of Fuels	CO_2	107.96	118.00	< 0.01	1	96
Direct N ₂ O Emissions from Agricultural Soils	N_2O	140.36	155.28	< 0.01	0	97
CH ₄ Emissions from Manure Management	CH ₄	31.19	39.14	< 0.01	0	97
SF ₆ Emissions from Magnesium Production	SF_6	5.37	2.97	< 0.01	0	97
CO ₂ Emissions from Aluminum Production	CO_2	6.31	4.22	< 0.01	0	98
Mobile Combustion: Road & Other	CH ₄	4.55	2.46	< 0.01	0	98
Non-CO ₂ Emissions from Stationary Combustion	CH ₄	7.84	6.70	< 0.01	0	98
Mobile Combustion: Marine	CO_2	49.17	57.45	< 0.01	0	99
CO ₂ Emissions from Limestone and Dolomite Use	CO_2	5.53	4.72	< 0.01	0	99
CH ₄ Emissions from Rice Production	CH₄	7.12	6.89	< 0.01	0	99
N ₂ O Emissions from Wastewater Handling	N_2O	13.02	15.88	< 0.01	0	99
PFC, HFC, and SF ₆ Emissions from Semiconductor Manufacture	SF ₆	2.91	4.34	< 0.01	0	99
N ₂ O Emissions from Manure Management	N_2O	16.26	17.53	<0.01	0	99
CO ₂ Emissions from Ferroalloys	CO ₂	1.98	1.37	<0.01	0	99
CO ₂ Emissions from Soda Ash Manufacture and Consumption	CO ₂	4.14	4.08	<0.01	0	99
CO ₂ Emissions from Natural Gas Flaring	CO ₂	5.81	5.97	<0.01	0	100
CO ₂ Emissions from Titanium Dioxide Production	CO ₂	1.31	2.01	<0.01	0	100
CH ₄ Emissions from Iron and Steel Production	CH ₄	1.32	1.02	<0.01	0	100
Fugitive Emissions from Abandoned Coal Mines	CH₄	6.06	6.43	<0.01	0	100
CO ₂ Emissions from Phosphoric Acid Production	CO ₂	1.53	1.38	<0.01	0	100
N ₂ O Emissions from Forest Land Remaining Forest Land	N ₂ O	0.06	0.39	<0.01	0	100
CO ₂ Emissions from CO2 Consumption	CO ₂	0.86	1.27	<0.01	0	100
Mobile Combustion: Aviation	N ₂ O	1.72	1.67	<0.01	0	100
CO ₂ Emissions from Petrochemical Production	CO ₃	2.22	2.78	<0.01	0	100
N ₂ O Emissions from Settlements Remaining Settlements	N ₂ O	5.54	6.02	<0.01	0	100
CO ₂ Emissions from Lime Production	CO ₂	11.24	12.98	<0.01	0	100
CH ₄ Emissions from Petrochemical Production	CH ₄	1.17	1.52	<0.01	0	100
OF 14 LITHSSIONS HOTH FELLOCHERINGAL FIDUUCUOH	OI 14	1.17	1.32	~0.01	U	100

CO ₂ Emissions from Stationary Combustion - Geothermal Energy	CO_2	0.40	0.34	<0.01	0	100
N ₂ O Emissions from N ₂ O Product Usage	N_2O	4.30	4.77	< 0.01	0	100
Non-CO ₂ Emissions from Stationary Combustion	N_2O	12.26	13.84	<0.01	0	100
Mobile Combustion: Aviation	CH ₄	0.16	0.14	<0.01	0	100
CH ₄ Emissions from Silicon Carbide Production	CH ₄	0.03	0.01	<0.01	0	100
Mobile Combustion: Marine	N_2O	0.39	0.46	<0.01	0	100
N ₂ O Emissions from Agricultural Residue Burning	N_2O	0.37	0.44	<0.01	0	100
N ₂ O Emissions from Waste Incineration	N_2O	0.42	0.46	<0.01	0	100
CH ₄ Emissions from Agricultural Residue Burning	CH ₄	0.69	0.79	<0.01	0	100
Mobile Combustion: Marine	CH ₄	0.08	0.09	<0.01	0	100
TOTAL		6,088.11	6,900.23	0.11		

References

Flugsrud, K., W. Irving, and K. Rypdal (1999) Methodological Choice in Inventory Preparation. Suggestions for Good Practice Guidance. Statistics Norway Department of Economic Statistics. 1999/19.

IPCC (2000) *Good Practice Guidance* and Uncertainty Management in National Greenhouse Gas Inventories, Intergovernmental Panel on Climate Change, National Greenhouse Gas Inventories Programme.

